



DEPARTMENT OF ENERGY
Environmental Management Los Alamos Field Office (EM-LA)
Los Alamos, New Mexico 87544

EMLA-23-BF240-2-1

May 31, 2023

Mr. Rick Shean
Designated Agency Manager
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505-6313



Subject: Submittal of the 2023 Annual Periodic Monitoring Report for the Material Disposal Area C Monitoring Group

Dear Mr. Shean:

Enclosed please find two hard copies with electronic files of the "2023 Annual Periodic Monitoring Report for the Material Disposal Area C Monitoring Group, Mortandad Canyon Watershed." The report includes results from monitoring years 2022 and 2023.

This report is submitted in accordance with Appendix E, Section IV, of the June 2016 Compliance Order on Consent, as modified on February 27, 2017.

If you have any questions, please contact Amanda White at (505) 309-1366 (amanda.white@em-la.doe.gov) or Hai Shen at (505) 709-7600 (hai.shen@em.doe.gov).

Sincerely,

**ARTURO
DURAN**

Arturo Q. Duran
Compliance and Permitting Manager
U.S. Department of Energy
Environmental Management
Los Alamos Field Office

Digitally signed by ARTURO
DURAN
Date: 2023.05.30 13:40:40
-06'00'

Enclosure(s): Two hard copies with electronic files:

1. 2023 Annual Periodic Monitoring Report for the Material Disposal Area C Monitoring Group, Mortandad Canyon Watershed (EM2023-0302)

cc (letter with CD/DVD enclosure[s]):

Laurie King, EPA Region 6, Dallas, TX
 Raymond Martinez, San Ildefonso Pueblo, NM
 Dino Chavarria, Santa Clara Pueblo, NM
 Richard Carpenter, City of Santa Fe, NM
 Steven Lynne, Los Alamos County, NM (2 copies)
 Jack Richardson, Los Alamos County, NM
 Steve Yanicak, NMED-DOE-OB
 Justin Ball, NMED-GWQB
 Cheryl Rodriguez, EM-LA
 Hai Shen, EM-LA
 emla.docs@em.doe.gov
 n3brecords@em-la.doe.gov
 Public Reading Room (EPRR)
 PRS website

cc (letter emailed without enclosure[s]):

Neelam Dhawan, NMED-HWB
 Ricardo Maestas, NMED-HWB
 Jennifer Payne, LANL
 Stephen Hoffman, NA-LA
 William Alexander, N3B
 Michael Erickson, N3B
 David Fellenz, N3B
 Cheryl Fountain, N3B
 Kim Lebak, N3B
 Robert Macfarlane, N3B
 Keith McIntyre, N3B
 Dan Pastor, N3B
 Ross Perez, N3B
 Vince Rodriguez, N3B
 Bradley Smith, N3B
 Troy Thomson, N3B
 Amanda White, N3B
 Brinson Willis, N3B
 M. Lee Bishop, EM-LA
 Michael Mikolanis, EM-LA

May 2023
EM2023-0302

2023 Annual Periodic Monitoring Report for the Material Disposal Area C Monitoring Group, Mortandad Canyon Watershed



Newport News Nuclear BWXT-Los Alamos, LLC (N3B), under the U.S. Department of Energy Office of Environmental Management Contract No. 89303318CEM000007 (the Los Alamos Legacy Cleanup Contract), has prepared this document pursuant to the Compliance Order on Consent, signed June 24, 2016. The Compliance Order on Consent contains requirements for the investigation and cleanup, including corrective action, of contamination at Los Alamos National Laboratory. The U.S. government has rights to use, reproduce, and distribute this document. The public may copy and use this document without charge, provided that this notice and any statement of authorship are reproduced on all copies.


2023 Annual Periodic Monitoring Report for the Material Disposal Area C Monitoring Group, Mortandad Canyon Watershed

May 2023

Responsible program director:

Amanda White		Senior Manager	Water Program	5/22/23
Printed Name	Signature	Title	Organization	Date

Responsible program director:

Michael Erickson		Program Director	Water Oversight Program	5/22/23
Printed Name	Signature	Title	Organization	Date

Responsible N3B representative:

Troy Thomson		Program Manager	N3B Environmental Remediation Program	5/22/23
Printed Name	Signature	Title	Organization	Date

Responsible DOE EM-LA representative:

Arturo Q. Duran	ARTURO DURAN 	Compliance and Permitting Manager	Office of Quality and Regulatory Compliance
Printed Name	Signature	Title	Organization

Digitally signed by
ARTURO DURAN
Date: 2023.05.30
13:41:03 -06'00'

EXECUTIVE SUMMARY

This annual periodic monitoring report (PMR) presents results for the Material Disposal Area (MDA) C monitoring group of the Newport News Nuclear BWXT-Los Alamos, LLC, groundwater program that have not been previously reported. All monitoring work reported in this PMR was conducted pursuant to the "Interim Facility-Wide Groundwater Monitoring Plan for the 2023 Monitoring Year, October 2022–September 2023, Revision 1" (2023 IFGMP) prepared in accordance with the 2016 Compliance Order on Consent.

All active monitoring locations in the MDA C monitoring group are located within the Mortandad Canyon watershed. The MDA C monitoring group includes the monitoring of groundwater well and well screen locations.

This PMR presents monitoring results for one periodic monitoring event (PME) conducted during the first quarter of monitoring year 2023 (MY2023). In addition to results from this PME, results are reported for the previous four PMEs, as well as data from earlier MDA C Investigation monitoring group PMEs that have not yet been reported because the validated laboratory data were not available at the time of previous MDA C PMR publications.

Groundwater samples collected during the PME were analyzed for all or some of the following analytical groups as specified in the 2023 IFGMP: metals; volatile organic compounds; per- and polyfluoroalkyl substances (PFAS); polychlorinated biphenyls; high explosives; radionuclides (including low-level tritium); and general inorganic chemicals (including perchlorate). The same samples were also measured for the following field parameters during purging and immediately prior to sample collection: dissolved oxygen, flow rate (in gallons per minute), oxidation-reduction potential, pH, specific conductance, temperature, and turbidity.

No groundwater analytical results reported in this PMR were detected at or above applicable screening values.

CONTENTS

1.0	INTRODUCTION	1
1.1	Background.....	2
2.0	SCOPE OF ACTIVITIES	2
2.1	PME Observations and Deviations from Planned Scope	3
3.0	REGULATORY CRITERIA	3
4.0	MONITORING RESULTS	4
4.1	Methods and Procedures	4
4.2	Comparison of Target Analytes and Method Detection Limits	4
4.3	Field Parameter Results	4
4.4	Groundwater Elevations	4
5.0	ANALYTICAL DATA RESULTS.....	5
5.1	Methods and Procedures	5
5.2	Analytical Data.....	6
5.2.1	Groundwater.....	7
5.3	Sampling Program Modifications.....	7
6.0	SUMMARY AND INTERPRETATIONS	8
6.1	Monitoring Results	8
6.2	Analytical Results	8
6.3	Data Gaps.....	8
6.4	Remediation System Monitoring.....	8
7.0	REFERENCES.....	8

Figures

Figure 1.1-1	MDA C monitoring group vicinity map.....	11
Figure 1.1-2	MDA C monitoring group well locations	12
Figure 4.4-1	Groundwater elevations	13
Figure 4.4-2	Regional aquifer water table map with flow direction.....	14

Tables

Table 2.0-1	MDA C Monitoring Group Locations and General Information	15
Table 2.1-1	MDA C Monitoring Group PME Observations and Deviations	15
Table 3.0-1	Sources for Standards and Screening Levels for Groundwater at Los Alamos National Laboratory	16
Table 4.2-1	Target Analytes with MDLs Equal to or Above Screening Values.....	16
Table 4.2-2	Target Analytes with MDL Values that Range Above and Below Screening Values	18

Appendices

Appendix A	Field Parameter Results, Including Results from Previous Four Monitoring Events if Available
Appendix B	Groundwater Elevation Measurements (on CD included with this document)
Appendix C	Analytical Chemistry Results, Including Results from Previous Four Monitoring Events if Available
Appendix D	Groundwater Results Greater Than Half of Screening Values
Appendix E	Analytical Chemistry Graphs of Screening-Value Exceedances
Appendix F	Analytical Reports (on CD included with this document)

Acronyms and Abbreviations

ARS	ARS Aleut Analytical, LLC
amsl	above mean sea level
bgs	below ground surface
COC	chain of custody
Consent Order	Compliance Order on Consent
CV	casing volume
DOE	Department of Energy (U.S.)
DQO	data quality objective
EPA	Environmental Protection Agency (U.S.)
EQB	equipment rinsate blank
F	filtered
FB	field blank
FD	field duplicate
FTB	field trip blank
GELC	GEL Laboratories, LLC, Division of the GEL Group, Inc., Charleston, SC
gpm	gallons per minute
GW	groundwater
ID	identification
IFGMP	Interim Facility-Wide Groundwater Monitoring Plan
LANL	Los Alamos National Laboratory
MCL	maximum contaminant level (EPA)
MDA	material disposal area
MDL	method detection limit
MY	monitoring year
N	no (best-value flag code)
N3B	Newport News Nuclear BWXT-Los Alamos, LLC
NMED	New Mexico Environment Department
NMWQCC	New Mexico Water Quality Control Commission
NTU	nephelometric turbidity unit(s)
PEB	performance evaluation blank
PME	periodic monitoring event
PMR	periodic monitoring report
QA	quality assurance
QC	quality control
S	screen
SAP	sampling and analysis plan
SOP	standard operating procedure

STD	standard
SU	standard unit
SVOC	semivolatile organic compound
TA	technical area
UF	unfiltered
VOC	volatile organic compound
WCSF	waste characterization strategy form
Y	yes (best-value flag code)

1.0 INTRODUCTION

This annual periodic monitoring report (PMR) for the Material Disposal Area (MDA) C monitoring group provides documentation of the following groundwater periodic monitoring event (PME) conducted by Newport News Nuclear BWXT-Los Alamos, LLC (N3B):

Watershed	PME Reported in this PMR		PME Field Sampling	
	Monitoring Year	Quarter	Begin	End
Mortandad	2023	1	11/15/2022	11/21/2022

The annual MDA C monitoring group PMR is submitted to the New Mexico Environment Department (NMED) every May and includes results from MDA C monitoring group PME performed through the first quarter of MY2023. In addition to results from the PME listed in the table above, results are reported for the previous four PMEs, as well as earlier MDA C monitoring group PMEs that have not yet been reported because the validated laboratory data were not available at the time of the previous MDA C PMR publications.

The PME reported in this PMR consisted of sampling groundwater wells pursuant to the “Interim Facility-Wide Groundwater Monitoring Plan for the 2023 Monitoring Year, October 2022–September 2023” (hereafter referred to as the MY 2023 IFGMP) (N3B 2020, 700927), which was prepared in accordance with the 2016 Compliance Order on Consent (the Consent Order).

Section IX of the Consent Order describes the role of data screening in the corrective action process. Screening values are used to identify the *potential* for unacceptable risk resulting from the presence of contaminants in groundwater and surface water. Screening values for evaluating IFGMP monitoring data include New Mexico Water Quality Control Commission (NMWQCC) groundwater standards, U.S. Environmental Protection Agency (EPA) maximum contaminant levels (MCLs), NMED screening levels for tap water, and EPA regional screening levels for tap water. Additional risk evaluation is required to determine the potential need for cleanup (corrective action) if results indicate that contaminants pose an unacceptable risk.

This report presents the following information:

- general background information for the MDA C monitoring group;
- scope of activities for the MDA C monitoring group;
- regulatory criteria for screening analysis;
- monitoring results (field parameters, groundwater elevations);
- analytical data results; and
- a summary of the monitoring data and the results of screening analysis.

All information associated with analyses of radionuclides is voluntarily provided to NMED in accordance with U.S. Department of Energy (DOE) policy.

1.1 Background

MDA C (Solid Waste Management Unit 50-009) is located on Mesita del Buey in Technical Area 50 (TA-50) at the head of Ten Site Canyon. The MDA C monitoring group includes nearby regional monitoring wells on the mesa top and in Ten Site Canyon, a side canyon to Mortandad Canyon. TA-50 is bounded on the north by Effluent and Mortandad Canyons, on the east by the upper reaches of Ten Site Canyon, on the south by Twomile Canyon, and on the west by TA-55.

Figure 1.1-1 is an MDA C monitoring group vicinity map. Monitoring locations are shown in Figure 1.1-2.

MDA C is an inactive 11.8-acre landfill consisting of 7 disposal pits and 108 shafts. Solid low-level radioactive wastes and chemical wastes were disposed of in the landfill between 1948 and 1974. The depths of the 7 pits at MDA C range from 12 ft to 25 ft below the original ground surface. The depths of the 108 shafts range from 10 ft to 25 ft below the original ground surface. The original ground surface is defined as beneath the cover that was placed over the site in 1984. The pits and shafts are constructed in the Tshirege Member of the Bandelier Tuff. The regional aquifer is estimated to be approximately 1332 ft below ground surface (bgs) based on the water level in well R-46 (LANL 2009, 105592). The topography of MDA C is relatively flat, although the slope steepens to the north where the northeast corner of MDA C abuts the south wall of Ten Site Canyon.

Vapor-phase volatile organic compounds (VOCs) and tritium are present in the upper 500 ft of the unsaturated zone beneath MDA C (LANL 2011, 204370). The primary vapor-phase contaminants beneath MDA C are trichloroethene and tritium. There is no evidence of groundwater contamination in the regional aquifer.

2.0 SCOPE OF ACTIVITIES

All active monitoring locations in the MDA C monitoring group are located within the Mortandad Canyon watershed. Monitoring locations consist of three groundwater wells completed within the deep regional aquifer.

Groundwater samples collected during the PME were analyzed for some or all of the following analytical groups as specified in the 2023 IFGMP (N3B 2021, 701672): metals; VOCs; per- and polyfluoroalkyl substances (PFAS); polychlorinated biphenyls; high explosives; radionuclides (including low-level tritium); and general inorganic chemicals (including perchlorate). The same samples were also measured for the following field parameters: dissolved oxygen, flow (in gallons per minute), oxidation-reduction potential, pH, specific conductance, temperature, and turbidity.

Purge water is managed and characterized in accordance with the most recent version of the "Waste Characterization Strategy Form," (N3B-AP-TRU-2150). Purge water is stored until characterization is complete, and if requirements are met, the purge water is land-applied in accordance with the standard operating procedure (SOP) "Land Application of Groundwater" (N3B-SOP-ER-3006), and "Regulatory Requirements for the Land Application of Groundwater" (N3B-QP-RGC-0002), which implements the NMED-approved decision tree for land application of drilling, development, rehabilitation, and purge water.

Table 2.0-1 provides information about each well sampled during the report's PME. Information provided includes the well location name and watershed; the monitoring year and quarter of the sampling event; the sample collection date; each well's screened interval with top and bottom screen depths; and the casing volume, purge volume, and purge or flow rate for each sampling event.

2.1 PME Observations and Deviations from Planned Scope

Low-level tritium samples were sent to American Radiation Services, Inc. (ARSL), now called Aleut Analytical, LLC. (ARS), in Port Allen, Louisiana for analysis. ARS is the only laboratory accredited by the DOE Consolidated Audit Program – Accreditation Program for use by the DOE community to perform low-level tritium analyses. The demand for accredited low-level tritium analyses has exceeded ARS's ability provide analytical services. Low-level tritium results are not yet available for the following locations in MY 2023: R-14 S1, R-46, and R-60.

Table 2.1-1 summarizes the observations and deviations from the planned monitoring scope for this annual PMR.

3.0 REGULATORY CRITERIA

Regulatory criteria related to groundwater quality form the basis for the screening values with which groundwater monitoring results are compared in this PMR. These criteria include the NMWQCC groundwater standards, EPA MCLs, NMED screening levels for tap water, and EPA regional screening levels for tap water. These criteria are used to screen results in accordance with the process specified in Section IX of the Consent Order, as listed in Table 3.0-1.

Monitoring data are evaluated using the screening process described below. The sources for standards and screening levels from which specific screening values are established are listed in Table 3.0-1.

- For each individual substance, the lower concentration of the NMWQCC groundwater standard or EPA MCL is used as the screening value.
- If the NMWQCC groundwater standard or an EPA MCL has not been established for a specific substance for which toxicological information is published, the NMED screening level for tap water is used as the groundwater screening value. NMED screening levels are established for either a cancer- or noncancer-risk type; for the cancer-risk type, screening levels are based on a 1×10^{-5} excess cancer risk. This report was prepared using the November 2021 NMED Risk Assessment Guidance for Site Investigations and Remediation (NMED 2021, 701849).
- If the NMED screening level for tap water has not been established for a specific substance for which toxicological information is published, the EPA regional screening level for tap water is used as the groundwater screening value. The EPA screening levels are established for either a cancer- or noncancer-risk type. For the cancer-risk type, the Consent Order specifies screening at a 1×10^{-5} excess cancer risk. The EPA screening levels for tap water are at 1×10^{-6} excess cancer risk; therefore, 10 times the EPA 1×10^{-6} screening levels are used in the screening process. This report was prepared using the November 2021 EPA regional screening levels for tap water (<http://www.epa.gov/risk/risk-based-screening-table-generic-tables>).
- The NMWQCC groundwater standards apply to specified contaminants in the dissolved (filtered) portion of samples. However, the standards for mercury and organic compounds apply to the concentrations of the contaminants in unfiltered samples. For this report, EPA MCLs are applied to contaminant concentrations in both filtered and unfiltered sample results.

4.0 MONITORING RESULTS

4.1 Methods and Procedures

All methods and procedures used to perform the field activities associated with the data reported in this PMR are documented in the 2023 IFGMP (N3B 2020, 700927).

4.2 Comparison of Target Analytes and Method Detection Limits

Several analytes have a range of method detection limits (MDLs). For some of these analytes, the current MDL is much lower than former MDLs for earlier analyses. Table 4.2-1 presents a list of target analytes with MDLs equal to or above screening values. Table 4.2-2 presents a list of analytes where the lower range of MDLs is below the screening value but the upper portion of the range is above the screening value. Target analytes with MDLs entirely below the screening value are not listed. The analytical method and analytical laboratory are included in the tables for reference.

4.3 Field Parameter Results

Appendix A presents field parameter measurements associated with the sampling and analytical data reported in this PMR, including dissolved oxygen, flow rate, oxidation-reduction potential, pH, specific conductance, temperature, and turbidity. Table 2.1-1 notes any instances where the requirement for collecting field parameter measurements could not be met.

4.4 Groundwater Elevations

The groundwater elevations are measured at each monitoring location before purging and sampling at that location, as required by the Consent Order. In addition to collecting groundwater elevation data before purging and sampling, N3B collects groundwater elevation data continuously (e.g., hourly, daily) for most monitoring locations, and these data are voluntarily presented in this PMR. Any gaps in the continuous groundwater elevation records presented in this PMR are a result of one or more of the following conditions:

- The well is dry.
- The well is not equipped with a pressure (level) transducer.
- The water level is below the transducer.
- The transducer is not functioning properly (including failure).
- The transducer is temporarily removed from the well for maintenance and/or calibration.

There are no data gaps in this PMR.

Groundwater elevation data from the end of the previous PME and through the end of the PME reported in this PMR are presented in Appendix B (on CD included with this document) and include all continuous groundwater elevation data.

Groundwater elevation measurements are shown graphically in Figure 4.4-1. For wells equipped with transducers, the reported groundwater level is the first groundwater level measurement taken each day. Figure 4.4-1 shows the elevation of the regional groundwater surface and flow directions from November 15, 2022. Regional aquifer surface contours are drawn by hand in accordance with the three point solution method as described by EPA (https://cfpub.epa.gov/si/si_public_record_report.cfm?

[dirEntryId=287064&Lab=NRMRL](#)). Adjacent wells are grouped into triplets and straight lines are drawn connecting them, making a triangle. Using the methods of Heath (<https://pubs.usgs.gov/wsp/2220/report.pdf>), a gradient vector is calculated for each set of triplets. This method assumes that the water table surface is planar, that flow is mostly horizontal, and that there is no pumping or injection. Since these assumptions are not always appropriate, some interpretation is necessary to produce a realistic potentiometric surface. Groundwater flow vectors are perpendicular to the contour lines and point downgradient. These vectors were calculated using the transect tool in QGIS.

All groundwater elevation data for locations with transducers are reported in Appendix B and in Figure 4.4-1.

5.0 ANALYTICAL DATA RESULTS

5.1 Methods and Procedures

All methods and procedures used to perform the analysis for the data reported in this PMR are documented in the MY 2023 IFGMP (N3B 2022, 702346). Samples and field data collection are conducted using SOPs that are part of a comprehensive quality assurance/quality control (QA/QC) program. These SOPs are listed and described in Appendix B of the IFGMP.

Sampling and analysis plans (SAPs) are created using MY 2023 IFGMP Tables 1.8-1, 1.11-1, and 4.4-1 (N3B 2022, 702346). SAPs include additional field collection, transportation, and field QA samples as identified in the N3B data quality objectives (DQOs), MY 2023 IFGMP, and in the Consent Order. A sample collection log is created from the SAP and is used to maintain chain-of-custody (COC) and to create the COC and the analytical request form.

Field QA sampling and analysis is employed as an aspect of the QA/QC program to qualify field sample analytical results. These samples include field blanks (FBs), equipment rinsate blanks (EQBs), performance evaluation blanks (PEBs), field trip blanks (FTBs), and field duplicates (FDs). These field QA/QC samples support monitoring the quality of field sample collection, shipping processes, and analytical laboratory processes. Additional description regarding these types of QA/QC samples is provided in Appendix D of the MY 2023 IFGMP (N3B 2022, 702346).

Following sample collection, sampling personnel deliver the samples and the sample collection log to sample management personnel at the N3B Sample Management Office. An analytical COC is then created, which includes the field sample identification (ID) number, the date and time of field sample collection, the analytical parameters group code, and the number of bottles for each analytical group. Samples are then shipped to analytical laboratories under COC for analysis.

In addition to analyzing the field samples and field QA/QC samples, laboratories also employ laboratory batch QA/QC samples. These include matrix spikes, duplicates, method blanks, and laboratory control samples that are prepared and analyzed by the laboratories to monitor their analytical process quality.

The analytical data are submitted by the analytical laboratory and is uploaded to the N3B (EIM) database. The received data are then independently validated through the N3B data validation process, as per the DQOs described below, to qualify the data.

Analytical results meet the N3B minimum DQOs as outlined in N3B-PLN-SDM-1000, "Sample and Data Management Plan." N3B-PLN-SDM-1000 sets the validation frequency criteria at 100% Level 1 examination and Level 2 verification of data and at 10% minimum Level 3 validation of data. A Level 1 examination assesses the completeness of the data as delivered from the analytical laboratory, identifies

any reporting errors, and checks the usability of the data based on the analytical laboratory's evaluation of the data. A Level 2 verification evaluates the data to determine the extent to which the laboratory met the analytical method and the contract-specific QC and reporting requirements. A Level 3 validation includes Levels 1 and 2 criteria and determines the effect of potential anomalies encountered during analysis and possible effects on data quality and usability. A Level 3 validation is performed manually with method-specific data validation procedures. Laboratory analytical data are validated by N3B personnel as outlined in N3B-PLN-SDM-1000; N3B-AP-SDM-3000, "General Guidelines for Data Validation"; N3B-AP-SDM-3014, "Examination and Verification of Analytical Laboratory Data"; and additional method-specific analytical data validation procedures. All associated validation procedures have been developed, where applicable, from the EPA QA/G-8, "Guidance on Environmental Data Verification and Data Validation" (<https://www.epa.gov/sites/production/files/2015-06/documents/g8-final.pdf>), the "Department of Defense (DoD)/Department of Energy (DOE) Consolidated Quality Systems Manual (QSM) for Environmental Laboratories" (<https://denix.osd.mil/edqw/documents/manuals/qsm-version-5-3-final/>), the EPA "National Functional Guidelines for Data Review" (<https://www.epa.gov/clp/superfund-clp-national-functional-guidelines-nfgr-data-review>), and the American National Standards Institute/American Nuclear Society 41.5, "Verification and Validation of Radiological Data for Use in Waste Management and Environmental Remediation" (<https://webstore.ansi.org/standards/ansi/ansians412012>).

Validation qualifiers and reason codes applied during this process are also reviewed and approved by an N3B chemist to assess data usability and quality. The EIM data are then made available to the public in the Intellus New Mexico database (<https://intellusnm.com/>).

5.2 Analytical Data

Appendix C presents the analytical data for the PME reported in this PMR and from the previous four sampling events. Table C-1 of the appendix contains all data for this reporting period. Table C-2 contains all detections of analytes from this reporting period plus the respective results from the four previous sampling events. The data were reviewed for compliance with regulatory and N3B requirements and are reported as follows:

- For all data
 - ❖ FD results, reanalysis results, and results of the same analytes from the same sample analyzed by different analytical methods are reported.
 - ❖ Data that are R-qualified (rejected and thus unusable because of analytical problems and/or noncompliance with QA/QC criteria during independent validation) are still reported.
 - ❖ Laboratory QA/QC results, FTB data, FB data, EQB data, and PEB data are not included in the data set.
 - ❖ Tracers and other analytes used for conceptual models are not reported.
 - ❖ Data for certain target analytes from watch-list wells that are not representative or are of questionable representativeness are not reported.
 - ❖ All other results are reported for all locations.

- For radionuclide data:
 - ❖ Constituents analyzed and reported for the gamma spectroscopy suite include cesium-137, cobalt-60, neptunium-237, potassium-40, and sodium-22.
 - ❖ Americium-241 and uranium-235 data from chemical separation alpha spectroscopy are reported. Gamma spectroscopy results for these analytes are not presented.
 - ❖ All other radionuclide results are reported for all locations.

Multiple analyses of the same analyte in a sample, including dilutions and reanalyses, create multiple results. These multiple results for the same analyte have the same sample ID, analytical laboratory code, and analytical method. Validation determines the more accurate result, which is marked with a best-value flag of “Y” (yes). The other results for that analyte, which were validated to be of lower quality, are assigned a best-value flag of “N” (no). The best-value flag is included in Appendix C.

Appendix D presents each analytical result detected at a concentration of greater than half the applicable screening value. Results with a best-value flag of “N” are included in Appendix D but not discussed in the text. There were no locations where an analyte exceeded greater than half of its screening value at least once during the PMEs reported in this PMR, so no data are included in Appendix D.

Table 5.2-1 is not included in this PMR since no analytical results were detected at concentrations greater than screening values.

The analytical results for radionuclides and radioactivity are voluntarily compared with the Derived Concentration Technical Standard (DOE 2011, 600493) for groundwater but are not reported in Table 5.2-1 if applicable or Appendix D.

Graphs in Appendix E display analyte concentration histories for monitoring group locations where the analyte was detected above the screening value at least once in the historical set that includes this PME in addition to data from the previous 3 yr if available. Appendix E may include instances where the analyte data are evaluated using a higher screening value than that used to evaluate previously reported analyte data. For example, the current screening value of 13.8 µg/L for perchlorate is greater than the former screening value of 4 µg/L, which was used to evaluate previously reported analyte data. If there are exceedances of the current screening value by the data reported in this PMR, the graphs depict the current analyte screening value. If there are no exceedances of current values, but at least one exceedance of the former (lower) screening value by the previously reported analytical data, the graphs depict the former lower screening value. Magenta lines indicate the PMR reporting period. Results with a best value flag of “N” are not included in Appendix E. There were no locations where an analyte exceeded its screening value at least once during the PMEs reported in this PMR and the four other most recent PMEs, so no graphs are included in Appendix E.

The final records packages, including COC forms and data validation forms, are provided in Appendix F (on CD included with this document).

5.2.1 Groundwater

No groundwater analytical results reported in this PMR were detected at concentrations that exceeded applicable screening values.

5.3 Sampling Program Modifications

No modifications to the currently planned periodic monitoring of the MDA C monitoring group are proposed at this time.

6.0 SUMMARY AND INTERPRETATIONS

6.1 Monitoring Results

Appendix A presents the field parameter measurements associated with the sampling and analysis data reported within this PMR.

6.2 Analytical Results

Appendix C presents the analytical data associated with the sampling reported within this PMR. No groundwater constituents analyzed during the PME associated with this PMR were detected above the applicable groundwater screening values.

6.3 Data Gaps

Table 2.1-1 summarizes deviations from the planned monitoring scope for this PMR including data gaps and cancelations because of sampling complications. Low-level tritium samples were sent to American Radiation Services, Inc., now called ARS Aleut Analytical, LLC. (Aleut), in Port Allen, Louisiana for analysis. Aleut is the only laboratory accredited by the DOE Consolidated Audit Program - Accreditation Program (DOECAP-AP) for use by the DOE community to perform low-level tritium analyses. The demand for accredited low-level tritium analyses has exceeded Aleut's ability provide analytical services. Low-level tritium results are not yet available for the following locations: R-14 screen 1, R-46, R-60.

6.4 Remediation System Monitoring

Remediation system monitoring is not applicable to the MDA C monitoring group because no groundwater remediation systems are required for the MDA C area.

7.0 REFERENCES

The following reference list includes documents cited in this report. Parenthetical information following each reference provides the author(s), publication date, and ERID, ESHID, or EMID. ERIDs were assigned by Los Alamos National Laboratory's (LANL or the Laboratory's) Associate Directorate for Environmental Management (IDs through 599999); ESHIDs were assigned by the Laboratory's Associate Directorate for Environment, Safety, and Health (IDs 600000 through 699999); and EMIDs are assigned by N3B (IDs 700000 and above).

DOE (U.S. Department of Energy), April 2011. "Derived Concentration Technical Standard," DOE Standard No. DOE-STD-1196-2011, U.S. Department of Energy, Washington, D.C. (DOE 2011, 600493)

LANL (Los Alamos National Laboratory), March 2009. "Completion Report for Regional Aquifer Well R-46," Los Alamos National Laboratory document LA-UR-09-1338, Los Alamos, New Mexico. (LANL 2009, 105592)

LANL (Los Alamos National Laboratory), June 2011. "Phase III Investigation Report for Material Disposal Area C, Solid Waste Management Unit 50-009, at Technical Area 50," Los Alamos National Laboratory document LA-UR-11-3429, Los Alamos, New Mexico. (LANL 2011, 204370)

N3B (Newport News Nuclear BWXT-Los Alamos, LLC), May 2020. "Interim Facility-Wide Groundwater Monitoring Plan for the 2021 Monitoring Year, October 2020–September 2021," Newport News Nuclear BWXT-Los Alamos, LLC, document EM2020-0113, Los Alamos, New Mexico. (N3B 2020, 700927)

N3B (Newport News Nuclear BWXT-Los Alamos, LLC), September 2021. "Interim Facility-Wide Groundwater Monitoring Plan for the 2022 Monitoring Year, October 2021–September 2022, Revision 1," Newport News Nuclear BWXT-Los Alamos, LLC, document EM2021-0535, Los Alamos, New Mexico. (N3B 2021, 701672)

NMED (New Mexico Environment Department), November 2021. "Risk Assessment Guidance for Site Investigations and Remediation, Volume 1, Soil Screening Guidance for Human Health Risk Assessments," Hazardous Waste Bureau and Ground Water Quality Bureau, Santa Fe, New Mexico. (NMED 2021, 701849)





Figure 1.1-1 MDA C monitoring group vicinity map



Note: See also Table 2.0-1.

Figure 1.1-2 MDA C monitoring group well locations




Figure 4.4-1 Groundwater elevations




Figure 4.4-2 Regional aquifer water table map with flow direction

Table 2.0-1
MDA C Monitoring Group Locations and General Information

Location	Watershed	Sampling Event		Sample Collection Date	Screened Interval (ft)	Screen Top Depth (ft bgs)	Screen Bottom Depth (ft bgs)	Calculated Single Casing Volume (gal.)	Purge Volume (gal.)	Purge or Flow Rate (gpm ^a)
		Monitoring Year	Quarter							
Regional										
R-14 S1 ^b	Mortandad	2023	1	11/16/2022	32.6	1200.6	1233.2	46.41	150.00	6.25
R-46	Mortandad			11/15/2022	20.7	1340	1360.7	49.31	224.00	4.48
R-60	Mortandad			11/21/2022	20.9	1330	1350.9	38.02	115.17	3.49

^a gpm = Gallons per minute.

^b S1 = Screen 1.

Table 2.1-1
MDA C Monitoring Group PME Observations and Deviations

Location	Watershed	Sampling Event		Observation/Deviation	Comments
		Monitoring Year	Quarter		
R-14 S1 ^a	Mortandad	2023	1	3.23 CVs ^b purged	Low Level Tritium data is not currently available for this location
R-46	Mortandad			4.54 CVs purged	Extra 1.54 CVs purged to allow DO and pH to stabilize; Low Level Tritium data is not currently available for this location
R-60	Mortandad			3.03 CVs purged	Pumped into screen and allowed recharge before sampling; Low Level Tritium data is not currently available for this location

^a S1 = Screen 1.

^b CVs = Casing volumes.

Table 3.0-1
Sources for Standards and Screening Levels for Groundwater at Los Alamos National Laboratory

Standard Type	Standard Source	Description	Groundwater
New Mexico			
Standard	20.6.2.3103 New Mexico Administrative Code (NMWQCC groundwater standard)	Groundwater human health standards, other standards for domestic water supply and standards for irrigation use	X ^a
Screening Level	NMED	Tap water screening levels ^b	X
EPA			
Standard	40 Code of Federal Regulations 141	EPA MCLs ^c	X
Risk-Human	EPA regional screening levels	EPA regional screening levels for tap water ^d	X
DOE			
Standard	DOE Order 458.1	DOE ^e 100-mrem public dose derived concentration technical standards	X
Standard	DOE Order 458.1	DOE 4-mrem drinking water derived concentration technical standards	X

^a X = Applied to data screening for this report.

^b Screening levels derived from NMED guidance (NMED 2017, 602274; NMED 2021, 701849).

^c EPA maximum contaminant levels (<https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulations>).

^d EPA generic screening levels (<http://www.epa.gov/risk/risk-based-screening-table-generic-tables>).

^e DOE = DOE-derived concentration technical standards (<https://www.directives.doe.gov/directives-documents/400-series/0458.1-border-chg4-ltdchg>).

Table 4.2-1
Target Analytes with MDLs Equal to or Above Screening Values

Analyte Name	MDL	Analytical Method	Screening Value	Unit	Screening-Value Type	Lab ID
Semivolatile Organic Compounds						
Azobenzene	2.95–3.12	SW-846:8270E	1.2	µg/L	EPA TAP SCRNLVL ^a	GELC ^b
Benzidine	3.84–4.05	SW-846:8270E	0.00109	µg/L	NMED A1 TAP SCRNLVL ^c	GELC
Benzo(a)anthracene	0.295–0.312	SW-846:8270E	0.12	µg/L	NMED A1 TAP SCRNLVL	GELC
Benzo(a)pyrene	0.295–0.312	SW-846:8270E	0.2	µg/L	NM GW STD ^d	GELC
Bis(2-chloroethyl)ether	2.95–3.12	SW-846:8270E	0.137	µg/L	NMED A1 TAP SCRNLVL	GELC
Dibenz(a,h)anthracene	0.295–0.312	SW-846:8270E	0.0343	µg/L	NMED A1 TAP SCRNLVL	GELC

Table 4.2-1 (continued)

Analyte Name	MDL	Analytical Method	Screening Value	Unit	Screening-Value Type	Lab ID
Dichlorobenzidine[3,3'-]	2.95–3.12	SW-846:8270E	1.25	µg/L	NMED A1 TAP SCRNLVL	GELC
Dinitro-2-methylphenol[4,6-]	2.95–3.12	SW-846:8270E	1.52	µg/L	NMED A1 TAP SCRNLVL	GELC
Dinitrotoluene[2,4-]	2.95–3.12	SW-846:8270E	2.37	µg/L	NMED A1 TAP SCRNLVL	GELC
Dinitrotoluene[2,6-]	2.95–3.12	SW-846:8270E	0.485	µg/L	NMED A1 TAP SCRNLVL	GELC
Hexachlorobenzene	2.95–3.12	SW-846:8270E	1	µg/L	EPA MCL ^e	GELC
Hexachlorobutadiene	2.95–3.12	SW-846:8270E	1.39	µg/L	NMED A1 TAP SCRNLVL	GELC
Nitrobenzene	2.95–3.12	SW-846:8270E	1.4	µg/L	NMED A1 TAP SCRNLVL	GELC
Nitrosodiethylamine[N-]	2.95–3.12	SW-846:8270E	0.00167	µg/L	NMED A1 TAP SCRNLVL	GELC
Nitrosodimethylamine[N-]	2.95–3.12	SW-846:8270E	0.00491	µg/L	NMED A1 TAP SCRNLVL	GELC
Nitroso-di-n-butylamine[N-]	2.95–3.12	SW-846:8270E	0.0273	µg/L	NMED A1 TAP SCRNLVL	GELC
Nitroso-di-n-propylamine[N-]	2.95–3.12	SW-846:8270E	0.11	µg/L	EPA TAP SCRNLVL	GELC
Nitrosopyrrolidine[N-]	2.95–3.12	SW-846:8270E	0.37	µg/L	NMED A1 TAP SCRNLVL	GELC
Pentachlorophenol	2.95–3.12	SW-846:8270E	1	µg/L	NM GW STD	GELC
Tetrachlorobenzene[1,2,4,5]	2.95–3.12	SW-846:8270E	1.66	µg/L	NMED A1 TAP SCRNLVL	GELC
Volatile Organic Compounds						
Acrolein	1.67	SW-846:8260D	0.0415	µg/L	NMED A1 TAP SCRNLVL	GELC
Acrylonitrile	1.67	SW-846:8260D	0.523	µg/L	NMED A1 TAP SCRNLVL	GELC
Chloro-1,3-butadiene[2-]	0.333	SW-846:8260D	0.187	µg/L	NMED A1 TAP SCRNLVL	GELC
Dibromo-3-Chloropropane[1,2-]	0.333	SW-846:8260D	0.2	µg/L	EPA MCL	GELC
Dibromoethane[1,2-]	0.333	SW-846:8260D	0.05	µg/L	NM GW STD	GELC
Dibromomethane	0.333	SW-846:8260D	0.0747	µg/L	NMED A1 TAP SCRNLVL	GELC
Dioxane[1,4-]	16.7	SW-846:8260D	4.59	µg/L	NMED A1 TAP SCRNLVL	GELC
Trichloropropane[1,2,3-]	0.333	SW-846:8260D	0.00835	µg/L	NMED A1 TAP SCRNLVL	GELC

Note: This table is applicable to samples reported in this PMR and includes historical data statistics from 10 yr before the earliest start date in the PMR.

^a EPA TAP SCRNLVL = U.S. Environmental Protection Agency generic screening level for tap water.

^b GELC = GEL Laboratories, LLC, Division of the GEL Group, Inc., Charleston, SC.

^c NMED A1 TAP SCRNLVL = New Mexico Environment Department screening level for tap water.

^d NM GW STD = NMWQCC groundwater standard.

^e EPA MCL = U.S. Environmental Protection Agency maximum contaminant level.

Table 4.2-2
Target Analytes with Screening Values Within the MDL Range

Analyte Name	MDL	Analytical Method	Screening Value	Unit	Screening-Value Type	Lab ID
Semivolatile Organic Compounds						
Atrazine	2.95–3.12	SW-846:8270E	3	µg/L	NM GW STD ^a	GELC ^b
Pentachlorobenzene	2.95–3.12	SW-846:8270E	3.07	µg/L	NMED A1 TAP SCRNLVL ^c	GELC

Notes: This table is applicable to samples reported in this PMR and includes historical data statistics from 10 yr before the earliest start date in the PMR. For this table, the lower value of the MDL range is below the screening value, while the upper value is equal to or above the screening value.

^a NM GW STD = NMWQCC groundwater standard.

^b GELC = GEL Laboratories, LLC, Division of the GEL Group, Inc., Charleston, SC.

^c NMED A1 TAP SCRNLVL = New Mexico Environment Department screening level for tap water.

Appendix A

*Field Parameter Results, Including Results from
Previous Four Monitoring Events if Available*

Location ID	Screen Depth	Measurement Date	PMR Sample Type	Field Parameter	Field Measurement	Measurement Units	Field Sample ID
R-14 S1 ^a	1200.6	11/09/2018	WG ^b	Dissolved Oxygen	5.8	mg/L	CAMO-19-164050
R-14 S1	1200.6	11/12/2019	WG	Dissolved Oxygen	5.91	mg/L	CAMO-20-189303
R-14 S1	1200.6	11/18/2020	WG	Dissolved Oxygen	5.67	mg/L	CAMO-21-210587
R-14 S1	1200.6	11/17/2021	WG	Dissolved Oxygen	5.69	mg/L	CAMO-22-236482
R-14 S1	1200.6	11/16/2022	WG	Dissolved Oxygen	5.89	mg/L	CAMO-23-261133
R-14 S1	1200.6	11/09/2018	WG	Flow (in gpm ^c)	7.14	gpm	CAMO-19-164050
R-14 S1	1200.6	11/12/2019	WG	Flow (in gpm)	6.67	gpm	CAMO-20-189303
R-14 S1	1200.6	11/18/2020	WG	Flow (in gpm)	6.98	gpm	CAMO-21-210587
R-14 S1	1200.6	11/17/2021	WG	Flow (in gpm)	7	gpm	CAMO-22-236482
R-14 S1	1200.6	11/16/2022	WG	Flow (in gpm)	6.25	gpm	CAMO-23-261133
R-14 S1	1200.6	11/09/2018	WG	Oxidation-Reduction Potential	167.6	mV	CAMO-19-164050
R-14 S1	1200.6	11/12/2019	WG	Oxidation-Reduction Potential	133.9	mV	CAMO-20-189303
R-14 S1	1200.6	11/18/2020	WG	Oxidation-Reduction Potential	139.8	mV	CAMO-21-210587
R-14 S1	1200.6	11/17/2021	WG	Oxidation-Reduction Potential	139.9	mV	CAMO-22-236482
R-14 S1	1200.6	11/16/2022	WG	Oxidation-Reduction Potential	52.9	mV	CAMO-23-261133
R-14 S1	1200.6	11/09/2018	WG	pH	8.18	SU ^d	CAMO-19-164050
R-14 S1	1200.6	11/12/2019	WG	pH	8.03	SU	CAMO-20-189303
R-14 S1	1200.6	11/18/2020	WG	pH	8.27	SU	CAMO-21-210587
R-14 S1	1200.6	11/17/2021	WG	pH	8.25	SU	CAMO-22-236482
R-14 S1	1200.6	11/16/2022	WG	pH	8.04	SU	CAMO-23-261133
R-14 S1	1200.6	11/09/2018	WG	Specific Conductance	127.4	μS/cm	CAMO-19-164050
R-14 S1	1200.6	11/12/2019	WG	Specific Conductance	124.9	μS/cm	CAMO-20-189303
R-14 S1	1200.6	11/18/2020	WG	Specific Conductance	126.9	μS/cm	CAMO-21-210587
R-14 S1	1200.6	11/17/2021	WG	Specific Conductance	126.6	μS/cm	CAMO-22-236482
R-14 S1	1200.6	11/16/2022	WG	Specific Conductance	128.8	μS/cm	CAMO-23-261133
R-14 S1	1200.6	11/09/2018	WG	Temperature	22.8	deg C	CAMO-19-164050
R-14 S1	1200.6	11/12/2019	WG	Temperature	23	deg C	CAMO-20-189303
R-14 S1	1200.6	11/18/2020	WG	Temperature	22.9	deg C	CAMO-21-210587

Location ID	Screen Depth	Measurement Date	PMR Sample Type	Field Parameter	Field Measurement	Measurement Units	Field Sample ID
R-14 S1	1200.6	11/17/2021	WG	Temperature	22.3	deg C	CAMO-22-236482
R-14 S1	1200.6	11/16/2022	WG	Temperature	22.1	deg C	CAMO-23-261133
R-14 S1	1200.6	11/09/2018	WG	Turbidity	0.67	NTU ^e	CAMO-19-164050
R-14 S1	1200.6	11/12/2019	WG	Turbidity	0.35	NTU	CAMO-20-189303
R-14 S1	1200.6	11/18/2020	WG	Turbidity	0.35	NTU	CAMO-21-210587
R-14 S1	1200.6	11/17/2021	WG	Turbidity	0.52	NTU	CAMO-22-236482
R-14 S1	1200.6	11/16/2022	WG	Turbidity	2.73	NTU	CAMO-23-261133
R-46	1340.0	11/13/2018	WG	Dissolved Oxygen	6.67	mg/L	CAMO-19-164053
R-46	1340.0	11/21/2019	WG	Dissolved Oxygen	6.18	mg/L	CAMO-20-189307
R-46	1340.0	11/17/2020	WG	Dissolved Oxygen	6.5	mg/L	CAMO-21-210592
R-46	1340.0	11/16/2021	WG	Dissolved Oxygen	5.9	mg/L	CAMO-22-236486
R-46	1340.0	11/15/2022	WG	Dissolved Oxygen	5.78	mg/L	CAMO-23-261136
R-46	1340.0	11/13/2018	WG	Flow (in gpm)	5	gpm	CAMO-19-164053
R-46	1340.0	11/21/2019	WG	Flow (in gpm)	5	gpm	CAMO-20-189307
R-46	1340.0	11/17/2020	WG	Flow (in gpm)	4.84	gpm	CAMO-21-210592
R-46	1340.0	11/16/2021	WG	Flow (in gpm)	4.69	gpm	CAMO-22-236486
R-46	1340.0	11/15/2022	WG	Flow (in gpm)	4.48	gpm	CAMO-23-261136
R-46	1340.0	11/13/2018	WG	Oxidation-Reduction Potential	269.8	mV	CAMO-19-164053
R-46	1340.0	11/21/2019	WG	Oxidation-Reduction Potential	200.7	mV	CAMO-20-189307
R-46	1340.0	11/17/2020	WG	Oxidation-Reduction Potential	101	mV	CAMO-21-210592
R-46	1340.0	11/16/2021	WG	Oxidation-Reduction Potential	307.5	mV	CAMO-22-236486
R-46	1340.0	11/15/2022	WG	Oxidation-Reduction Potential	174.8	mV	CAMO-23-261136
R-46	1340.0	11/13/2018	WG	pH	7.96	SU	CAMO-19-164053
R-46	1340.0	11/21/2019	WG	pH	7.21	SU	CAMO-20-189307
R-46	1340.0	11/17/2020	WG	pH	7.92	SU	CAMO-21-210592
R-46	1340.0	11/16/2021	WG	pH	7.2	SU	CAMO-22-236486
R-46	1340.0	11/15/2022	WG	pH	6.93	SU	CAMO-23-261136
R-46	1340.0	11/13/2018	WG	Specific Conductance	121.4	µS/cm	CAMO-19-164053

Location ID	Screen Depth	Measurement Date	PMR Sample Type	Field Parameter	Field Measurement	Measurement Units	Field Sample ID
R-46	1340.0	11/21/2019	WG	Specific Conductance	120.1	μS/cm	CAMO-20-189307
R-46	1340.0	11/17/2020	WG	Specific Conductance	121.2	μS/cm	CAMO-21-210592
R-46	1340.0	11/16/2021	WG	Specific Conductance	121.1	μS/cm	CAMO-22-236486
R-46	1340.0	11/15/2022	WG	Specific Conductance	123.9	μS/cm	CAMO-23-261136
R-46	1340.0	11/13/2018	WG	Temperature	21.1	deg C	CAMO-19-164053
R-46	1340.0	11/21/2019	WG	Temperature	20.3	deg C	CAMO-20-189307
R-46	1340.0	11/17/2020	WG	Temperature	21.7	deg C	CAMO-21-210592
R-46	1340.0	11/16/2021	WG	Temperature	20.6	deg C	CAMO-22-236486
R-46	1340.0	11/15/2022	WG	Temperature	20.7	deg C	CAMO-23-261136
R-46	1340.0	11/13/2018	WG	Turbidity	0.36	NTU	CAMO-19-164053
R-46	1340.0	11/21/2019	WG	Turbidity	1.03	NTU	CAMO-20-189307
R-46	1340.0	11/17/2020	WG	Turbidity	6.33	NTU	CAMO-21-210592
R-46	1340.0	11/16/2021	WG	Turbidity	1.73	NTU	CAMO-22-236486
R-46	1340.0	11/15/2022	WG	Turbidity	0.57	NTU	CAMO-23-261136
R-60	1330.0	11/13/2018	WG	Dissolved Oxygen	5.94	mg/L	CAMO-19-164058
R-60	1330.0	11/15/2019	WG	Dissolved Oxygen	5.68	mg/L	CAMO-20-189312
R-60	1330.0	11/16/2020	WG	Dissolved Oxygen	5.7	mg/L	CAMO-21-210596
R-60	1330.0	11/15/2021	WG	Dissolved Oxygen	6.29	mg/L	CAMO-22-236490
R-60	1330.0	11/21/2022	WG	Dissolved Oxygen	6.49	mg/L	CAMO-23-261139
R-60	1330.0	11/13/2018	WG	Flow (in gpm)	3.61	gpm	CAMO-19-164058
R-60	1330.0	11/15/2019	WG	Flow (in gpm)	2.48	gpm	CAMO-20-189312
R-60	1330.0	11/16/2020	WG	Flow (in gpm)	2.61	gpm	CAMO-21-210596
R-60	1330.0	11/15/2021	WG	Flow (in gpm)	2.78	gpm	CAMO-22-236490
R-60	1330.0	11/21/2022	WG	Flow (in gpm)	3.49	gpm	CAMO-23-261139
R-60	1330.0	11/13/2018	WG	Oxidation-Reduction Potential	237	mV	CAMO-19-164058
R-60	1330.0	11/15/2019	WG	Oxidation-Reduction Potential	97.8	mV	CAMO-20-189312
R-60	1330.0	11/16/2020	WG	Oxidation-Reduction Potential	96.7	mV	CAMO-21-210596
R-60	1330.0	11/15/2021	WG	Oxidation-Reduction Potential	207.2	mV	CAMO-22-236490

Location ID	Screen Depth	Measurement Date	PMR Sample Type	Field Parameter	Field Measurement	Measurement Units	Field Sample ID
R-60	1330.0	11/21/2022	WG	Oxidation-Reduction Potential	243	mV	CAMO-23-261139
R-60	1330.0	11/13/2018	WG	pH	8.23	SU	CAMO-19-164058
R-60	1330.0	11/15/2019	WG	pH	8.19	SU	CAMO-20-189312
R-60	1330.0	11/16/2020	WG	pH	8.21	SU	CAMO-21-210596
R-60	1330.0	11/15/2021	WG	pH	8.14	SU	CAMO-22-236490
R-60	1330.0	11/21/2022	WG	pH	7.99	SU	CAMO-23-261139
R-60	1330.0	11/13/2018	WG	Specific Conductance	126.4	µS/cm	CAMO-19-164058
R-60	1330.0	11/15/2019	WG	Specific Conductance	123.1	µS/cm	CAMO-20-189312
R-60	1330.0	11/16/2020	WG	Specific Conductance	124	µS/cm	CAMO-21-210596
R-60	1330.0	11/15/2021	WG	Specific Conductance	124.2	µS/cm	CAMO-22-236490
R-60	1330.0	11/21/2022	WG	Specific Conductance	123.5	µS/cm	CAMO-23-261139
R-60	1330.0	11/13/2018	WG	Temperature	22.6	deg C	CAMO-19-164058
R-60	1330.0	11/15/2019	WG	Temperature	23.4	deg C	CAMO-20-189312
R-60	1330.0	11/16/2020	WG	Temperature	23	deg C	CAMO-21-210596
R-60	1330.0	11/15/2021	WG	Temperature	23.3	deg C	CAMO-22-236490
R-60	1330.0	11/21/2022	WG	Temperature	15.7	deg C	CAMO-23-261139
R-60	1330.0	11/13/2018	WG	Turbidity	2.09	NTU	CAMO-19-164058
R-60	1330.0	11/15/2019	WG	Turbidity	0.9	NTU	CAMO-20-189312
R-60	1330.0	11/16/2020	WG	Turbidity	0.42	NTU	CAMO-21-210596
R-60	1330.0	11/15/2021	WG	Turbidity	0.9	NTU	CAMO-22-236490
R-60	1330.0	11/21/2022	WG	Turbidity	2.43	NTU	CAMO-23-261139

^a S1 = Screen 1.

^b WG = Groundwater.

^c gpm = Gallons per minute.

^d SU = Standard units.

^e NTU = Nephelometric turbidity units.

Appendix B

*Groundwater Elevation Measurements
(on CD included with this document)*

N3B RECORDS	
Media Information Page	
This is a placeholder page for a record that cannot be uploaded or would lose meaning or content if uploaded. The record can be requested through regdocs@em-la.doe.gov	
Document Date: 5/31/2023	EM ID number: 702765-01
Document Title: Appendix B Submittal of the 2023 Annual Periodic Monitoring Report for the Material Disposal Area C Monitoring Group	☒ No restrictions ☐ UCNI ☐ Copyrighted
Media type and quantity: 1 CD	Software and version required to read media: Adobe Acrobat 9.0
Other document numbers or notes: Files are too numerous and large to upload.	

Appendix C

*Analytical Chemistry Results, Including Results from
Previous Four Monitoring Events if Available*

The following pages provide lists of (1) acronyms, abbreviations, and symbols; (2) analytical laboratory qualifier codes; (3) validation qualifiers; and (4) background value sources that may be used in Appendix C. Please note that these comprehensive lists include terms used in prior periodic monitoring reports. This periodic monitoring report may not include all of the terms in the following lists.

Acronyms and Abbreviations

Acronym, Abbreviation, or Symbol	Description
Miscellaneous	
%	percent
%D	percent difference
%R	percent recovery
%RSD	percent relative standard deviation
<	Based on qualifiers, the result was a nondetection.
—	none
4,4'-DDD	4,4'-dichlorodiphenyldichloroethane
4,4'-DDT	4,4'-dichlorodiphenyltrichloroethane
BHC	benzene hexachloride
CB	chlorinated biphenyl
CCB	continuing calibration blank
CCV	continuing calibration verification
CLP	Contract Laboratory Program
CRDL	contract-required detection limit
CRI	CDRL check standard
DCG	Derived Concentration Guide (DOE)
DDE	dichlorodiphenyldichloroethylene
DNX	1,3-dinitro-5-nitroso-1,3,5-triazinane
DOE	Department of Energy (U.S.)
DQO	data quality objective
EPA	Environmental Protection Agency (U.S.)
GC	gas chromatography
GC/MS	gas chromatography/mass spectrometry
GFAA	graphite furnace atomic absorption
GFPC	gas-flow proportional counter
GW	groundwater
HH OO	human health—organism only (NMWQCC standard)
HMX	1,3,5,7-tetranitro-1,3,5,7-tetrazocine
HPLC	high-pressure liquid chromatography
HRGC/HRMS	high-resolution gas chromatography/high-resolution mass spectrometry
ICAL	initial calibration
ICPAES	inductively coupled plasma atomic (optical) emission spectroscopy
ICV	initial calibration verification

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Miscellaneous (continued)	
IDL	instrument detection limit
IS	internal standard
LAL	lower acceptance limit
LANL	Los Alamos National Laboratory
LCS	laboratory control sample
LLEE	low-level electrolytic extraction
LOC	level of chlorination
LSC	liquid scintillation counting
Lvl	level
MCL	maximum contaminant level (EPA)
MDA	minimum detectable activity
MDC	minimum detectable concentration
MDL	method detection limit
MNX	1-nitroso-3,5-dinitro-1,3,5-triazine
MS	matrix spike
MSD	matrix spike duplicate
N3B	Newport News Nuclear BWXT-Los Alamos, LLC
NM	New Mexico
NMED	New Mexico Environment Department
NMWQCC	New Mexico Water Quality Control Commission
OPR	ongoing precision recovery
PCB	polychlorinated biphenyl
PCDD	polychlorinated dibenzo-p-dioxin
PCDF	polychlorinated dibenzofuran
PQL	practical quantitation limit
Prelim	preliminary
QC	quality control
RDX	Royal Demolition Explosive
RF	response factor
RL	reporting limit
RPD	relative percent difference
RRF	relative response factor
RRT	relative retention time
RT	retention time
Scr	screening
SDG	sample delivery group
SMO	Sample Management Office
SSC	suspended sediment concentration

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Miscellaneous (continued)	
SU	standard unit
TCDD	tetrachlorodibenzo-p-dioxin
TCDF	tetrachlorodibenzofuran
TDS	total dissolved solids
TPH-DRO	total petroleum hydrocarbons—diesel range organics
TNX	1,3,5-trinitroso-1,3,5-triazine
TPU	total propagated uncertainty
UAL	upper acceptance limit
Sample Types	
WG	groundwater
WS	base flow
Field Prep Codes	
F	filtered
UF	unfiltered
Analysis Type Code	
DL	dilution
INIT	initial
RE	reanalysis
REDL	reanalysis dilution
REP	replicate of the initial analysis
RI	reissue
TOTC	calculated total
Sample Purpose	
FD	field duplicate
REG	regular
Analytical Method Category	
General Chemistry	general chemistry
HEXP	high explosives
HRGC/HRMS	high-resolution gas chromatography/high-resolution mass spectrometry
INORGANIC	inorganic
LCMS/MS	liquid chromatography [dual] mass spectrometry
LCMS/MS HIGH EXPLOSIVES	liquid chromatography [dual] mass spectrometry for high explosives
LCMS/MS PERCHLORATE	liquid chromatography [dual] mass spectrometry for perchlorate
LEGACY	legacy
PCBCONGENERS	PCB congeners
PESTPCB	pesticides/PCBs
RAD	radiological

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Analytical Method Category (continued)	
SVOC	semivolatile organic compound
TPH	total petroleum hydrocarbons
VOC	volatile organic compound
Detect Flag and Best Value Flag Codes	
N	no
Y	yes
Laboratory Codes	
AAL	Assaigai Analytical Laboratories, Inc.
ACCU	Acculabs Technologies, Inc.
ALTC	Alta Analytical Laboratory, Inc.
ALEUT	ARS Aleut Analytical, LLC.
ARSL	American Radiation Services, Inc.
ATICO	Analytical Technologies, Inc., Historical code one
BABC	Edward S. Babcock & Sons, Inc., Riverside, CA
BAL	Brooks Applied Labs
CFA	Cape Fear Analytical, LLC, Wilmington, NC, Affiliate of GEL Laboratories, LLC, Charleston, SC
C-INC	Isotope and Nuclear Chemistry (LANL)
COAST	Coastal Science Laboratories, Inc.
CST	Chemical Sciences and Technology (LANL)
DRI	Desert Research Institute
EES6	Environmental Sciences (LANL)
GELC/GEL	GEL Laboratories, LLC, Division of the GEL Group, Inc., Charleston, SC
GEO	Geochron Laboratories
HUFFMAN	Huffman Laboratories, Inc.
KA	KEMRON Environmental Services, Inc.
LVLI	Lionville Laboratory, Inc.
NA	not available
PARA	ALS Environmental, Ft. Collins, CO
RECRAP	RECRA Labnet, Lionville, PA
RFWC	Weston Solutions (formerly Roy F. Weston), West Chester, PA
SGSW	Paradigm Environmental Services, Inc.
SHEALY	Shealy Labs
SILENS	Stable Isotopes Laboratory
STL2	Severn Trent Laboratories, Inc., Richland Historical
STLA	Severn Trent Laboratories, Inc., Los Angeles
STR	Severn Trent Laboratories, Inc., Richland

Acronyms and Abbreviations (continued)

Acronym, Abbreviation, or Symbol	Description
Lab Codes (continued)	
STSL	Severn Trent Laboratories, Inc., St. Louis
SwRI	Southwest Research Institute
UAZ	University of Arizona
UIL	University of Illinois
UMTL	University of Miami Tritium Lab
UNK	Unknown (from historical Environmental Remediation Database migration)

Note: A combination of analytical laboratory qualifiers means that several qualifiers apply.

Analytical Laboratory Qualifiers

Qualifier	Description
*	(Inorganic)—Duplicate analysis (relative percent difference [RPD]) not within control limits.
B	(Organic)—Analyte was present in the blank and the sample. (Inorganic) —Reported value was obtained from a reading that was less than the contract-required detection limit (CRDL) but greater than or equal to the instrument detection limit (IDL).
BPX	(B) (Organic)—This analyte was detected in the associated laboratory method blank and the sample. (B) (Inorganic)—The result for this analyte was greater than the IDL but less than the CRDL. (P) (Pesticides/PCBs)—The quantitative results for this analyte between the primary and secondary gas chromatography (GC) columns were greater than 25% difference. (P) (SW-846 EPA Method 8310, High-Pressure Liquid Chromatography, [HPLC] Results)—The quantitative results for this analyte between the primary and secondary HPLC columns or primary and secondary HPLC detectors were greater than 40% difference. (X) (Organic/Inorganic)—The result for this analyte should be regarded as not detected.
D	The result for this analyte was reported from a dilution.
E	(Organic) Analyte exceeded the concentration range. (Inorganic) The serial dilution was exceeded.
EJN	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (inductively coupled plasma atomic [optical] emission spectroscopy [ICPAES])—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (graphite furnace atomic absorption [GFAA])—The result for this analyte failed one or more Control Laboratory Program (CLP) acceptance criteria as explained in the case narrative. (J) (Organic/General Inorganics)—The result for this analyte was greater than the method detection limit (MDL) but less than the practical quantitation limit (PQL). (N) (Organic)—The reported analyte is a tentatively identified compound (TIC). (N) (Inorganic)—The result for this analyte in the matrix spike (MS) sample was outside acceptance criteria.
EN*	(E) (Organic)—The result for this analyte exceeded the upper range of the instrument initial calibration curve. (E) (Inorganic) (ICPAES)—The result for this analyte in the serial dilution analysis was outside acceptance criteria. (E) (Inorganic) (GFAA)—The result for this analyte failed one or more CLP acceptance criteria as explained in the case narrative. (N) (Organic)—The reported analyte is a TIC. (N) (Inorganic)—The result for this analyte in the MS sample was outside acceptance criteria. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
H	(Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded.
H*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. * (Organic) and (Inorganic)—The result for this analyte in the laboratory control sample analysis was outside acceptance criteria.
HJ*	(H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. (J) (Organic/General Inorganics)—The result for this analyte was greater than the MDL but less than the PQL. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
J	(Organic/Inorganic)—The associated numerical value is an estimated quantity.
N	(Inorganic)—Spiked sample recovery was not within control limits.
P	Percent difference between the results on the two columns during the analysis differed by more than 40%.
Q	One or more quality control criteria have not been met. Refer to the applicable narrative or data exception report.
U	The material was analyzed for but was not detected above the level of the associated numeric value.

Analytical Laboratory Qualifiers (continued)

Qualifier	Description
UH*	(U) (Organic/Inorganic)—The result for this analyte was not detected at the specified reporting limit. (H) (Organic/Inorganic)—The required extraction or analysis holding time for this result was exceeded. * (Inorganic)—The result for this analyte in the laboratory replicate analysis was outside acceptance criteria.
UI	(Rad) Gamma spectroscopy result should be regarded as an uncertain identification.
UN	EPA flag (Inorganic)—Compound was analyzed for but was not detected. Spiked sample recovery was not within control limits.
UUI	(Rad) Gamma spectroscopy result should be regarded as an uncertain identification, and the analytical lab assigned these gamma spectroscopy results as not detected.
X	Consult case narrative, data summary package, or project manager concerning the qualifier.

Validation Qualifiers

Qualifier	Description
A	The contractually required supporting documentation for this datum is absent.
I	The calculated sums are considered incomplete because of the lack of one or more congener results.
J	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual.
J-	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential negative bias.
J+	The analyte is classified as detected, but the reported concentration value is expected to be more uncertain than usual with a potential positive bias.
JN-	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected negative bias.
JN+	Presumptive evidence of the presence of the material is at an estimated quantity with a suspected positive bias.
N	There is presumptive evidence of the presence of the material.
NJ	(Organic) Analyte has been tentatively identified, and the associated numerical value is estimated based upon a 1:1 response factor to the nearest eluting internal standard.
NQ	No validation qualifier flag is associated with this result, and the analyte is classified as detected.
PM	Manual review of raw data is recommended to determine if the observed noncompliances with quality acceptance criteria adversely impact data use.
R	The reported sample result is classified as rejected because of serious noncompliances regarding QC acceptance criteria. The presence or absence of the analyte cannot be verified based on routine validation alone.
U	The analyte is classified as not detected.
UJ	The analyte is classified as not detected, with an expectation that the reported result is more uncertain than usual.

Background Values

Background values in Table C-1 are background levels where available, as reported in the "Groundwater Background Investigation Report, Revision 5" (LANL 2016, 601920).

REFERENCE

The following reference list includes documents cited in this appendix. Parenthetical information following each reference provides the author(s), publication date, and ERID, ESHID, or EMID. ERIDs were assigned by Los Alamos National Laboratory's (the Laboratory's) Associate Directorate for Environmental Management (IDs through 599999); ESHIDs were assigned by the Laboratory's Associate Directorate for Environment, Safety, and Health (IDs 600000 through 699999); and EMIDs are assigned by N3B (IDs 700000 and above).

LANL (Los Alamos National Laboratory), October 27, 2016. "Groundwater Background Investigation Report, Revision 5," Los Alamos National Laboratory document LA-UR-16-27907, Los Alamos, New Mexico. (LANL 2016, 601920)

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
Regional																								
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	2,4-Diamino-6-nitrotoluene	6629-29-4	N	0.51	—	—	—	—	0.51	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	2,6-Diamino-4-nitrotoluene	59229-75-3	N	0.51	—	—	—	—	0.51	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	3,5-Dinitroaniline	618-87-1	N	0.306	—	—	—	—	0.306	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Acenaphthene	83-32-9	N	0.299	535	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Acenaphthylene	208-96-8	N	0.299	—	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acetone	67-64-1	N	1.74	14100	—	—	—	1.74	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acetonitrile	75-05-8	N	8.33	130	—	—	—	8.33	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.24	—	—	—	—	0.01	SU	Y	H	J	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acrolein	107-02-8	N	1.67	0.0415	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acrylonitrile	107-13-1	N	1.67	0.523	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3	ALK-CO3	N	1.45	—	—	—	—	1.45	mg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	61.3	—	72.9	—	—	1.45	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Aluminum	Al	N	68	5000	68	—	—	68	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	-0.0118	—	0.0167	0.00913	0.0594	—	pCi/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Amino-2,6-dinitrotoluene[4-]	19406-51-0	N	0.0816	1.9	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Amino-4,6-dinitrotoluene[2-]	35572-78-2	N	0.0816	1.9	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.034	—	0.1	—	—	0.017	mg/L	Y	J	J+	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Aniline	62-53-3	N	4.19	130	—	—	—	4.19	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Anthracene	120-12-7	N	0.299	1720	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Antimony	Sb	N	1	6	1	—	—	1	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1016	12674-11-2	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1221	11104-28-2	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1232	11141-16-5	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1242	53469-21-9	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1248	12672-29-6	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1254	11097-69-1	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1260	11096-82-5	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1262	37324-23-5	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Arsenic	As	N	2	10	2.7	—	—	2	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Atrazine	1912-24-9	N	2.99	3	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Azobenzene	103-33-3	N	2.99	1.2	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Barium	Ba	Y	22.9	2000	38.1	—	—	1	µg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Benzene	71-43-2	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzidine	92-87-5	N	3.89	0.00109	—	—	—	3.89	µg/L	Y	U	UJ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG																					

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butylbenzene[n-]	104-51-8	N	0.333	1000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butylbenzene[sec-]	135-98-8	N	0.333	2000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butylbenzene[tert-]	98-06-6	N	0.333	690	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Butylbenzylphthalate	85-68-7	N	0.299	160	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Cadmium	Cd	N	0.3	5	0.11	—	—	0.3	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Calcium	Ca	Y	9.69	—	17.03	—	—	0.05	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Carbon Disulfide	75-15-0	N	1.67	810	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Carbon Tetrachloride	56-23-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.499	—	2.93	1.16	4.2	—	pCi/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.68	250	2.7	—	—	0.067	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloro-1,3-butadiene[2-]	126-99-8	N	0.333	0.187	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloro-1-propene[3-]	107-05-1	N	1.67	7.3	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chloro-3-methylphenol[4-]	59-50-7	N	2.99	1400	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chloroaniline[4-]	106-47-8	N	3.29	3.7	—	—	—	3.29	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorobenzene	108-90-7	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorodibromomethane	124-48-1	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloroethane	75-00-3	N	0.333	20900	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloroform	67-66-3	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloromethane	74-87-3	N	0.333	20.3	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chloronaphthalene[2-]	91-58-7	N	0.409	733	—	—	—	0.409	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chlorophenol[2-]	95-57-8	N	2.99	91	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chlorophenyl-phenyl[4-] Ether	7005-72-3	N	2.99	—	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorotoluene[2-]	95-49-8	N	0.333	233	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorotoluene[4-]	106-43-4	N	0.333	250	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.62	50	7.48	—	—	3	µg/L	Y	J	J	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chrysene	218-01-9	N	0.299	34.3	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Cobalt	Co	N	1	50	1	—	—	1	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.718	—	2.65	1.23	4.07	—	pCi/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Copper	Cu	N	3	1000	3	—	—	3	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	Inorganic	EPA:335.4	Cyanide (Total)	CN(TOTAL)	N	0.00167	0.2	0.0017	—	—	0.00167	mg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Di-n-butylphthalate	84-74-2	N	0.299	885	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Di-n-octylphthalate	117-84-0	N	0.299	200	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dibenz(a,h)anthracene	53-70-3	N	0.299	0.0343	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dibenzofuran	132-64-9	N	2.99	7.9	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dibromo-3-Chloropropane[1,2-]	96-12-8	N	0.333	0.2	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dibromoethane[1,2-]	106-93-4	N	0.333	0.05	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dibromomethane	74-95-3	N	0.333	0.0747	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzene[1,2-]	95-50-1	N	2.99	600	—	—	—	2.99	µg/L	N	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorobenzene[1,2-]	95-50-1	N	0.333	600	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzene[1,3-]	541-73-1	N	2.99	—	—	—	—	2.99	µg/L	N	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorobenzene[1,3-]	541-73-1	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzene[1,4-]	106-46-7	N	2.99	75	—	—	—	2.99	µg/L	N	U	UJ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorobenzene[1,4-]	106-46-7	N	0.333	75	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzidine[3,3'-]	91-94-1	N	2.99	1.25	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorodifluoromethane	75-71-8	N	0.355	197	—	—	—	0.355	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethane[1,1-]	75-34-3	N	0.333	25	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethane[1,2-]	107-06-2	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethene[1,1-]	75-35-4	N	0.333	7	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethene[cis-1,2-]	156-59-2	N	0.333	70	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethene[cis/trans-1,2-]	540-59-0	N	0.667	—	—	—	—	0.667	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethene[trans-1,2-]	156-60-5	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorophenol[2,4-]	120-83-2	N	2.99	45.3	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropane[1,2-]	78-87-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropane[1,3-]	142-28-9	N	0.333												

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropene[cis-1,3-]	10061-01-5	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropene[trans-1,3-]	10061-02-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Diethyl Ether	60-29-7	N	0.333	3930	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Diethylphthalate	84-66-2	N	0.299	14800	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dimethyl Phthalate	131-11-3	N	0.299	612	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dimethylphenol[2,4-]	105-67-9	N	2.99	354	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitro-2-methylphenol[4,6-]	534-52-1	N	2.99	1.52	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Dinitrobenzene[1,3-]	99-65-0	N	0.0816	2	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitrophenol[2,4-]	51-28-5	N	4.98	38.7	—	—	—	4.98	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitrotoluene[2,4-]	121-14-2	N	2.99	2.37	—	—	—	2.99	µg/L	N	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Dinitrotoluene[2,4-]	121-14-2	N	0.0816	2.37	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitrotoluene[2,6-]	606-20-2	N	2.99	0.485	—	—	—	2.99	µg/L	N	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Dinitrotoluene[2,6-]	606-20-2	N	0.0816	0.485	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinoseb	88-85-7	N	2.99	7	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E_SIM	Dioxane[1,4-]	123-91-1	N	0.1	4.59	—	—	—	0.1	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dioxane[1,4-]	123-91-1	N	2.99	4.59	—	—	—	2.99	µg/L	N	U	UJ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dioxane[1,4-]	123-91-1	N	16.7	4.59	—	—	—	16.7	µg/L	N	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Diphenylamine	122-39-4	N	2.99	122	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Ethyl Methacrylate	97-63-2	N	1.67	455	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Ethylbenzene	100-41-4	N	0.333	700	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Fluoranthene	206-44-0	N	0.299	802	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Fluorene	86-73-7	N	0.299	288	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.142	1.6	0.377	—	—	0.033	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	-0.0553	15	—	0.292	1.86	—	pCi/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	-1.85	—	—	0.673	2.85	—	pCi/L	Y	U	UJ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	HARDNESS	Y	37.5	—	67.1	—	—	0.453	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachlorobenzene	118-74-1	N	2.99	1	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachlorobutadiene	87-68-3	N	2.99	1.39	—	—	—	2.99	µg/L	N	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Hexachlorobutadiene	87-68-3	N	0.333	1.39	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachlorocyclopentadiene	77-47-4	N	2.99	50	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachloroethane	67-72-1	N	2.99	3.28	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Hexanone[2-]	591-78-6	N	1.67	38	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	HMX	2691-41-0	N	0.0816	1000	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Indeno(1,2,3-cd)pyrene	193-39-5	N	0.299	0.343	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Iodomethane	74-88-4	N	1.67	—	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Iron	Fe	N	30	1000	53.8	—	—	30	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Isobutyl alcohol	78-83-1	N	16.7	5910	—	—	—	16.7	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Isophorone	78-59-1	N	3.49	781	—	—	—	3.49	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Isopropylbenzene	98-82-8	N	0.333	447	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Isopropyltoluene[4-]	99-87-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Lead	Pb	N	0.5	15	0.5	—	—	0.5	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.23	—	4.18	—	—	0.11	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Manganese	Mn	N	2	200	12.1	—	—	2	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:7470A	Mercury	Hg	N	0.067	2	0.067	—	—	0.067	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	Inorganic	SW-846:7470A	Mercury	Hg	N	0.067	2	—	—	—	0.067	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methacrylonitrile	126-98-7	N	1.67	1.91	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methyl Methacrylate	80-62-6	N	1.67	1390	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methyl tert-Butyl Ether	1634-04-4	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methyl-2-pentanone[4-]	108-10-1	N	1.67	1240	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methylene Chloride	75-09-2	N	2.04	5	—	—	—	0.5	µg/L	Y	J	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylnaphthalene[1-]	90-12-0	N	0.299	11.4	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylnaphthalene[2-]	91-57-6	N	0.299	35.1	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylphenol[2-]	95-48-7	N	2.99	930	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylphenol[3-,4-]	65794-96-9	N	3.69	—	—	—	—	3.69	µg/L	Y	U	UJ	N3B-2022-4		

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Naphthalene	91-20-3	N	0.333	1.65	—	—	—	0.333	µg/L	N	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.27	—	4.72	2.49	8.52	—	pCi/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Nickel	Ni	N	0.6	200	2.9	—	—	0.6	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.349	10	0.769	—	—	0.017	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroaniline[2-]	88-74-4	N	2.99	190	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroaniline[3-]	99-09-2	N	2.99	—	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroaniline[4-]	100-01-6	N	2.99	38	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrobenzene	98-95-3	N	2.99	1.4	—	—	—	2.99	µg/L	N	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrobenzene	98-95-3	N	0.0816	1.4	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrophenol[2-]	88-75-5	N	2.99	—	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrophenol[4-]	100-02-7	N	2.99	—	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroso-di-n-butylamine[N-]	924-16-3	N	2.99	0.0273	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroso-di-n-propylamine[N-]	621-64-7	N	2.99	0.11	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrosodiethylamine[N-]	55-18-5	N	2.99	0.00167	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrosodimethylamine[N-]	62-75-9	N	2.99	0.00491	—	—	—	2.99	µg/L	Y	U	UJ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrosopyrrolidine[N-]	930-55-2	N	2.99	0.37	—	—	—	2.99	µg/L	Y	U	UJ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[2-]	88-72-2	N	0.0837	3.14	—	—	—	0.0837	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[3-]	99-08-1	N	0.0816	1.74	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[4-]	99-99-0	N	0.153	42.7	—	—	—	0.153	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Oxybis(1-chloropropane)[2,2'-]	108-60-1	N	2.99	9.81	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pentachlorobenzene	608-93-5	N	2.99	3.07	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pentachlorophenol	87-86-5	N	2.99	1	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.293	13.8	0.414	—	—	0.05	µg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	PETN	78-11-5	N	0.102	190	—	—	—	0.102	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Phenanthrene	85-01-8	N	0.299	170	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Phenol	108-95-2	N	2.99	5	—	—	—	2.99	µg/L	Y	U	UJ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.0134	—	0.00994	0.00636	0.0538	—	pCi/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00382	—	0.0171	0.00936	0.0449	—	pCi/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Potassium	K	Y	2.08	—	2.39	—	—	0.05	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-16.3	—	35.6	16.1	57	—	pCi/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Prometon	1610-18-0	N	2.99	250	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Propionitrile	107-12-0	N	1.67	—	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Propylbenzene[1-]	103-65-1	N	0.333	660	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pyrene	129-00-0	N	0.299	117	—	—	—	0.299	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pyridine	110-86-1	N	2.99	20	—	—	—	2.99	µg/L	Y	U	UJ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	EPA:903.1	Radium-226	Ra-226	Y	0.421	5	—	0.124	0.215	—	pCi/L	Y	—	NQ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	Generic:Radium by Calculation	Radium-226 and Radium-228	Ra-226+228	Y	0.87	—	—	0.198	—	—	pCi/L	Y	—	NQ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	EPA:904	Radium-228	Ra-228	Y	0.448	5	—	0.154	0.414	—	pCi/L	Y	—	NQ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	RDX	121-82-4	N	0.0816	9.66	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Selenium	Se	N	1.5	50	1.5	—	—	1.5	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	78.3	—	81.9	—	—	0.053	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Silver	Ag	N	0.3	50	0.2	—	—	0.3	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Sodium	Na	Y	10.4	—	16	—	—	0.1	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.487	—	1.93	1.06	4.01	—	pCi/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	128	—	—	—	—	1	µS/cm	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Strontium	Sr	Y	45.1	11800	157	—	—	1	µg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.192	8	0.355	0.149	0.497	—	pCi/L	Y	U	UJ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Styrene	100-42-5	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.84	600	4.59	—	—	0.133	mg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Sulfolane	126-33-0	N	2.99	20	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	RE	REG	LCMS/MS High Explosives	SW-846:8330B	TATB	3058-38-6	N	0.306	—	—	—	—	0.306	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Tetrachlorobenzene[1,2,4,5]	95-94-3	N	2.99	1.66	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Tetrachloroethane[1,1,1,2-]	630-20-6	N	0.333	5.74	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Tetrachloroethane[1,1,2,2-]	79-34-5	N	0.333	10	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409		

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Tetrachloropheno[2,3,4,6-]	58-90-2	N	2.99	240	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Tetryl	479-45-8	N	0.0816	39.4	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Thallium	Tl	N	0.6	2	0.45	—	—	0.6	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Tin	Sn	N	1	12000	13	—	—	1	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Toluene	108-88-3	N	0.333	1000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	137	1000	161	—	—	3.4	mg/L	Y	—	J	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	General Chemistry	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.133	—	—	—	—	0.033	mg/L	Y	—	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	General Chemistry	SW-846:9060A	Total Organic Carbon	TOC	N	0.33	—	—	—	—	0.33	mg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0306	—	0.0822	—	—	0.02	mg/L	Y	J	J	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloro-1,2,2-trifluoroethane[1,1,2-]	76-13-1	N	2.98	55000	—	—	—	2.98	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichlorobenzene[1,2,3-]	87-61-6	N	0.333	7	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Trichlorobenzene[1,2,4-]	120-82-1	N	2.99	70	—	—	—	2.99	µg/L	N	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichlorobenzene[1,2,4-]	120-82-1	N	0.333	70	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloroethane[1,1,1-]	71-55-6	N	0.333	200	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloroethane[1,1,2-]	79-00-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloroethene	79-01-6	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichlorofluoromethane	75-69-4	N	0.333	1140	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Trichloropheno[2,4,5-]	95-95-4	N	2.99	1170	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Trichloropheno[2,4,6-]	88-06-2	N	2.99	11.9	—	—	—	2.99	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloropropane[1,2,3-]	96-18-4	N	0.333	0.00835	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trimethylbenzene[1,2,4-]	95-63-6	N	0.333	56	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trimethylbenzene[1,3,5-]	108-67-8	N	0.5	60	—	—	—	0.5	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Trinitrobenzene[1,3,5-]	99-35-4	N	0.0816	590	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Trinitrotoluene[2,4,6-]	118-96-7	N	0.0816	9.8	—	—	—	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	RE	REG	LCMS/MS High Explosives	SW-846:8330B	Tris (o-cresyl) phosphate	78-30-8	N	0.306	—	—	—	—	0.306	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium		Y	0.708	30	1.19	—	—	0.067	µg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.395	27.2	0.715	0.046	0.0953	—	pCi/L	Y	—	NQ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0254	28.8	0.0423	0.012	0.0726	—	pCi/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.243	30	0.336	0.0347	0.0905	—	pCi/L	Y	—	NQ	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Vanadium	V	Y	6.9	63.1	11.4	—	—	1	µg/L	Y	—	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Vinyl acetate	108-05-4	N	1.67	409	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Vinyl Chloride	75-01-4	N	0.333	2	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Xylene[1,2-]	95-47-6	N	0.333	193	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Xylene[1,3-]+Xylene[1,4-]	Xylene[m+p]	N	0.5	193	—	—	—	0.5	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Zinc	Zn	N	3.3	10000	14.4	—	—	3.3	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	2,4-Diamino-6-nitrotoluene	6629-29-4	N	0.495	—	—	—	—	0.495	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	2,6-Diamino-4-nitrotoluene	59229-75-3	N	0.495	—	—	—	—	0.495	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	3,5-Dinitroaniline	618-87-1	N	0.297	—	—	—	—	0.297	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Acenaphthene	83-32-9	N	0.295	535	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Acenaphthylene	208-96-8	N	0.295	—	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acetone	67-64-1	N	1.74	14100	—	—	—	1.74	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acetonitrile	75-05-8	N	8.33	130	—	—	—	8.33	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.54	—	—	—	—	0.01	SU	Y	H	J	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acrolein	107-02-8	N	1.67	0.0415	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acrylonitrile	107-13-1	N	1.67	0.523	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3	ALK-CO3	N	1.45	—	—	—	—	1.45	mg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	59.1	—	72.9	—	—	1.45	mg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Aluminum	Al	N	68	5000	68	—	—	68	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00657	—	0.0167	0.01	0.0552	—	pCi/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Amino-2,6-dinitrotoluene[4-]	19406-51-0	N	0.0792	1.9	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Amino-4,6-dinitrotoluene[2-]	35572-78-2	N	0.0792	1.9	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.017	—	0.1	—	—	0.017	mg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Aniline	62-53-3	N	4.13	130	—	—	—	4.13	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Anthracene	120-12-7	N	0.295	1720	—										

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1221	11104-28-2	N	0.0323	0.5	—	—	—	0.0323	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1232	11141-16-5	N	0.0323	0.5	—	—	—	0.0323	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1242	53469-21-9	N	0.0323	0.5	—	—	—	0.0323	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1248	12672-29-6	N	0.0323	0.5	—	—	—	0.0323	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1254	11097-69-1	N	0.0323	0.5	—	—	—	0.0323	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1260	11096-82-5	N	0.0323	0.5	—	—	—	0.0323	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1262	37324-23-5	N	0.0323	0.5	—	—	—	0.0323	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Arsenic	As	N	2	10	2.7	—	—	2	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Atrazine	1912-24-9	N	2.95	3	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Azobenzene	103-33-3	N	2.95	1.2	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Barium	Ba	Y	23.5	2000	38.1	—	—	1	µg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Benzene	71-43-2	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzidine	92-87-5	N	3.84	0.00109	—	—	—	3.84	µg/L	Y	U	UJ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzo(a)anthracene	56-55-3	N	0.295	0.12	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzo(a)pyrene	50-32-8	N	0.295	0.2	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzo(b)fluoranthene	205-99-2	N	0.295	0.343	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzo(g,h,i)perylene	191-24-2	N	0.295	—	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzo(k)fluoranthene	207-08-9	N	0.295	3.43	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzoic Acid	65-85-0	Y	13.2	75000	—	—	—	5.91	µg/L	Y	J	J	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzyl Alcohol	100-51-6	N	2.95	2000	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Beryllium	Be	N	1	4	1	—	—	1	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Bis(2-chloroethoxy)methane	111-91-1	N	2.95	59	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Bis(2-chloroethyl)ether	111-44-4	N	2.95	0.137	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Bis(2-ethylhexyl)phthalate	117-81-7	N	0.295	6	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Boron	B	N	15	750	18.7	—	—	15	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Bromide	Br(-1)	N	0.067	—	0.067	—	—	0.067	mg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Bromobenzene	108-86-1	N	0.333	62	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Bromochloromethane	74-97-5	N	0.333	83	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Bromodichloromethane	75-27-4	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Bromoform	75-25-2	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Bromomethane	74-83-9	N	0.337	7.54	—	—	—	0.337	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Bromophenyl-phenylether[4-]	101-55-3	N	2.95	—	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butanol[1-]	71-36-3	N	21.1	2000	—	—	—	21.1	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butanone[2-]	78-93-3	N	1.67	5560	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butylbenzene[n-]	104-51-8	N	0.333	1000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butylbenzene[sec-]	135-98-8	N	0.333	2000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butylbenzene[tert-]	98-06-6	N	0.333	690	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Butylbenzylphthalate	85-68-7	N	0.295	160	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Cadmium	Cd	N	0.3	5	0.11	—	—	0.3	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Calcium	Ca	Y	9.99	—	17.03	—	—	0.05	mg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Carbon Disulfide	75-15-0	N	1.67	810	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Carbon Tetrachloride	56-23-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-1.97	—	2.93	1.07	2.97	—	pCi/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.71	250	2.7	—	—	0.067	mg/L	Y	—	J-	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloro-1,3-butadiene[2-]	126-99-8	N	0.333	0.187	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloro-1-propene[3-]	107-05-1	N	1.67	7.3	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chloro-3-methylphenol[4-]	59-50-7	N	2.95	1400	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chloroaniline[4-]	106-47-8	N	3.25	3.7	—	—	—	3.25	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorobenzene	108-90-7	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorodibromomethane	124-48-1	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloroethane	75-00-3	N	0.333	20900	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloroform	67-66-3	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloromethane	74-87-3	N	0.333	20.3	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chloronaphthalene[2-]	91-58-7	N	0.404	733	—	—	—	0.404	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG</																					

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorotoluene[2-]	95-49-8	N	0.333	233	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorotoluene[4-]	106-43-4	N	0.333	250	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.19	50	7.48	—	—	3	µg/L	Y	J	J	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chrysene	218-01-9	N	0.295	34.3	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Cobalt	Co	N	1	50	1	—	—	1	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.0757	—	2.65	0.995	3.91	—	pCi/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Copper	Cu	N	3	1000	3	—	—	3	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	Inorganic	EPA:335.4	Cyanide (Total)	CN(TOTAL)	N	0.00167	0.2	0.0017	—	—	0.00167	mg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Di-n-butylphthalate	84-74-2	N	0.295	885	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Di-n-octylphthalate	117-84-0	N	0.295	200	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dibenz(a,h)anthracene	53-70-3	N	0.295	0.0343	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dibenzofuran	132-64-9	N	2.95	7.9	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dibromo-3-Chloropropane[1,2-]	96-12-8	N	0.333	0.2	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dibromoethane[1,2-]	106-93-4	N	0.333	0.05	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dibromomethane	74-95-3	N	0.333	0.0747	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorobenzene[1,2-]	95-50-1	N	0.333	600	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzene[1,2-]	95-50-1	N	2.95	600	—	—	—	2.95	µg/L	N	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorobenzene[1,3-]	541-73-1	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzene[1,3-]	541-73-1	N	2.95	—	—	—	—	2.95	µg/L	N	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorobenzene[1,4-]	106-46-7	N	0.333	75	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzene[1,4-]	106-46-7	N	2.95	75	—	—	—	2.95	µg/L	N	U	UJ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzidine[3,3'-]	91-94-1	N	2.95	1.25	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorodifluoromethane	75-71-8	N	0.355	197	—	—	—	0.355	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethane[1,1-]	75-34-3	N	0.333	25	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethane[1,2-]	107-06-2	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethene[1,1-]	75-35-4	N	0.333	7	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethene[cis-1,2-]	156-59-2	N	0.333	70	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethene[cis/trans-1,2-]	540-59-0	N	0.667	—	—	—	—	0.667	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethene[trans-1,2-]	156-60-5	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorophenol[2,4-]	120-83-2	N	2.95	45.3	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropane[1,2-]	78-87-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropane[1,3-]	142-28-9	N	0.333	370	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropane[2,2-]	594-20-7	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropene[1,1-]	563-58-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropene[cis-1,3-]	10061-01-5	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropene[trans-1,3-]	10061-02-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Diethyl Ether	60-29-7	N	0.333	3930	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Diethylphthalate	84-66-2	N	0.295	14800	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dimethyl Phthalate	131-11-3	N	0.295	612	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dimethylphenol[2,4-]	105-67-9	N	2.95	354	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitro-2-methylphenol[4,6-]	534-52-1	N	2.95	1.52	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Dinitrobenzene[1,3-]	99-65-0	N	0.0792	2	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitrophenol[2,4-]	51-28-5	N	4.92	38.7	—	—	—	4.92	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitrotoluene[2,4-]	121-14-2	N	2.95	2.37	—	—	—	2.95	µg/L	N	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Dinitrotoluene[2,4-]	121-14-2	N	0.0792	2.37	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitrotoluene[2,6-]	606-20-2	N	2.95	0.485	—	—	—	2.95	µg/L	N	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Dinitrotoluene[2,6-]	606-20-2	N	0.0792	0.485	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinoseb	88-85-7	N	2.95	7	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E_SIM	Dioxane[1,4-]	123-91-1	N	0.1	4.59	—	—	—	0.1	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dioxane[1,4-]	123-91-1	N	2.95	4.59	—	—	—	2.95	µg/L	N	U	UJ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dioxane[1,4-]	123-91-1	N	16.7	4.59	—	—	—	16.7	µg/L	N	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Diphenylamine	122-39-4	N	2.95	122	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Ethyl Methacrylate	97-63-2	N	1.67	455	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Ethylbenzene	100-41-4	N	0.333	700	—	—	—	0.							

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.123	1.6	0.377	—	—	0.033	mg/L	Y	—	J+	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.21	15	—	0.733	2.31	—	pCi/L	Y	U	UJ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.543	—	—	0.713	2.51	—	pCi/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	HARDNESS	Y	38.9	—	67.1	—	—	0.453	mg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachlorobenzene	118-74-1	N	2.95	1	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Hexachlorobutadiene	87-68-3	N	0.333	1.39	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachlorobutadiene	87-68-3	N	2.95	1.39	—	—	—	2.95	µg/L	N	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachlorocyclopentadiene	77-47-4	N	2.95	50	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachloroethane	67-72-1	N	2.95	3.28	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Hexanone[2-]	591-78-6	N	1.67	38	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	HMX	2691-41-0	N	0.0792	1000	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Indeno(1,2,3-cd)pyrene	193-39-5	N	0.295	0.343	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Iodomethane	74-88-4	N	1.67	—	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Iron	Fe	N	30	1000	53.8	—	—	30	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Isobutyl alcohol	78-83-1	N	16.7	5910	—	—	—	16.7	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Isophorone	78-59-1	N	3.45	781	—	—	—	3.45	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Isopropylbenzene	98-82-8	N	0.333	447	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Isopropyltoluene[4-]	99-87-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Lead	Pb	N	0.5	15	0.5	—	—	0.5	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.38	—	4.18	—	—	0.11	mg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Manganese	Mn	N	2	200	12.1	—	—	2	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:7470A	Mercury	Hg	N	0.067	2	0.067	—	—	0.067	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	Inorganic	SW-846:7470A	Mercury	Hg	N	0.067	2	—	—	—	0.067	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methacrylonitrile	126-98-7	N	1.67	1.91	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methyl Methacrylate	80-62-6	N	1.67	1390	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methyl tert-Butyl Ether	1634-04-4	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methyl-2-pentanone[4-]	108-10-1	N	1.67	1240	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methylene Chloride	75-09-2	N	0.5	5	—	—	—	0.5	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylnaphthalene[1-]	90-12-0	N	0.295	11.4	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylnaphthalene[2-]	91-57-6	N	0.295	35.1	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylphenol[2-]	95-48-7	N	2.95	930	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylphenol[3-, 4-]	65794-96-9	N	3.64	—	—	—	—	3.64	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.01	1000	2.5	—	—	0.2	µg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Naphthalene	91-20-3	N	0.333	1.65	—	—	—	0.333	µg/L	N	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Naphthalene	91-20-3	N	0.295	1.65	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.13	—	4.72	1.97	6.97	—	pCi/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Nickel	Ni	N	0.6	200	2.9	—	—	0.6	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.374	10	0.769	—	—	0.085	mg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroaniline[2-]	88-74-4	N	2.95	190	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroaniline[3-]	99-09-2	N	2.95	—	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroaniline[4-]	100-01-6	N	2.95	38	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrobenzene	98-95-3	N	2.95	1.4	—	—	—	2.95	µg/L	N	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrobenzene	98-95-3	N	0.0792	1.4	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrophenol[2-]	88-75-5	N	2.95	—	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrophenol[4-]	100-02-7	N	2.95	—	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroso-di-n-butylamine[N-]	924-16-3	N	2.95	0.0273	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroso-di-n-propylamine[N-]	621-64-7	N	2.95	0.11	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrosodiethylamine[N-]	55-18-5	N	2.95	0.00167	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrosodimethylamine[N-]	62-75-9	N	2.95	0.00491	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrosopyrrolidine[N-]	930-55-2	N	2.95	0.37	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[2-]	88-72-2	N	0.0811	3.14	—	—	—	0.0811	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[3-]	99-08-1	N	0.0792	1.74	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[4-]	99-99-0	N	0.148	42.7	—	—	—	0.148	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Oxybis(1-chloropropane)[2,2'-]	108-60-1	N	2.95	9.81	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pentachlorobenzene	608-93-5	N	2.												

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-46	1340.0	11/16/2021	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	CIO4	Y	0.304	13.8	0.414	—	—	0.05	µg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	PETN	78-11-5	N	0.099	190	—	—	—	0.099	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Phenanthrene	85-01-8	N	0.295	170	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Phenol	108-95-2	N	2.95	5	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00405	—	0.00994	0.00701	0.0569	—	pCi/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00404	—	0.0171	0.00904	0.0475	—	pCi/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Potassium	K	Y	1.9	—	2.39	—	—	0.05	mg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-13.7	—	35.6	15.1	55.1	—	pCi/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Prometon	1610-18-0	N	2.95	250	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Propionitrile	107-12-0	N	1.67	—	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Propylbenzene[1-]	103-65-1	N	0.333	660	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pyrene	129-00-0	N	0.295	117	—	—	—	0.295	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pyridine	110-86-1	N	2.95	20	—	—	—	2.95	µg/L	Y	U	UJ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	EPA:903.1	Radium-226	Ra-226	Y	0.529	5	—	0.175	0.434	—	pCi/L	Y	—	NQ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	Generic Radium by Calculation	Radium-226 and Radium-228	Ra-226+228	Y	0.739	—	—	0.222	—	—	pCi/L	Y	—	NQ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	EPA:904	Radium-228	Ra-228	N	0.21	5	—	0.137	0.448	—	pCi/L	Y	U	UJ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	RDX	121-82-4	N	0.0792	9.66	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Selenium	Se	N	1.5	50	1.5	—	—	1.5	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	73.8	—	81.9	—	—	0.053	mg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Silver	Ag	N	0.3	50	0.2	—	—	0.3	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Sodium	Na	Y	9.72	—	16	—	—	0.1	mg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	-1.19	—	1.93	1.03	3.42	—	pCi/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	123	—	—	—	—	1	µS/cm	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Strontium	Sr	Y	44.1	11800	157	—	—	1	µg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.488	8	0.355	0.168	0.497	—	pCi/L	Y	U	UJ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Styrene	100-42-5	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.84	600	4.59	—	—	0.133	mg/L	Y	—	J+	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Sulfolane	126-33-0	N	2.95	20	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	RE	REG	LCMS/MS High Explosives	SW-846:8330B	TATB	3058-38-6	N	0.297	—	—	—	—	0.297	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Tetrachlorobenzene[1,2,4,5]	95-94-3	N	2.95	1.66	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Tetrachloroethane[1,1,1,2-]	630-20-6	N	0.333	5.74	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Tetrachloroethane[1,1,2,2-]	79-34-5	N	0.333	10	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Tetrachloroethene	127-18-4	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Tetrachlorophenol[2,3,4,6-]	58-90-2	N	2.95	240	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Tetryl	479-45-8	N	0.0792	39.4	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Thallium	Tl	N	0.6	2	0.45	—	—	0.6	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Tin	Sn	N	1	12000	13	—	—	1	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Toluene	108-88-3	N	0.333	1000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	126	1000	161	—	—	3.4	mg/L	Y	—	J+	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	General Chemistry	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.0498	—	—	—	—	0.033	mg/L	Y	J	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	General Chemistry	SW-846:9060A	Total Organic Carbon	TOC	Y	0.664	—	—	—	—	0.33	mg/L	Y	J	J	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0227	—	0.0822	—	—	0.02	mg/L	Y	J	J	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloro-1,2,2-trifluoroethane[1,1,2-]	76-13-1	N	2.98	55000	—	—	—	2.98	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichlorobenzene[1,2,3-]	87-61-6	N	0.333	7	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichlorobenzene[1,2,4-]	120-82-1	N	0.333	70	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Trichlorobenzene[1,2,4-]	120-82-1	N	2.95	70	—	—	—	2.95	µg/L	N	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloroethane[1,1,1-]	71-55-6	N	0.333	200	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloroethane[1,1,2-]	79-00-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloroethene	79-01-6	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichlorofluoromethane	75-69-4	N	0.333	1140	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Trichlorophenol[2,4,5-]	95-95-4	N	2.95	1170	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Trichlorophenol[2,4,6-]	88-06-2	N	2.95	11.9	—	—	—	2.95	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloropropane[1,2,3-]	96-18-4	N	0.333	0.00835	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trimethylbenzene[1,2,4-]	95-63-6	N	0.333	56	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trimethylbenzene[1,3,5-]	108-67-8														

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Trinitrobenzene[1,3,5-]	99-35-4	N	0.0792	590	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Trinitrotoluene[2,4,6-]	118-96-7	N	0.0792	9.8	—	—	—	0.0792	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	RE	REG	LCMS/MS High Explosives	SW-846:8330B	Tris (o-cresyl) phosphate	78-30-8	N	0.297	—	—	—	—	0.297	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.416	30	1.19	—	—	0.067	µg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.233	27.2	0.715	0.0342	0.08	—	pCi/L	Y	—	NQ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0142	28.8	0.0423	0.00873	0.0609	—	pCi/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.101	30	0.336	0.0219	0.076	—	pCi/L	Y	—	NQ	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Vanadium	V	Y	8.13	63.1	11.4	—	—	1	µg/L	Y	—	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Vinyl acetate	108-05-4	N	1.67	409	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Vinyl Chloride	75-01-4	N	0.333	2	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Xylene[1,2-]	95-47-6	N	0.333	193	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Xylene[1,3-]+Xylene[1,4-]	Xylene[m+p]	N	0.5	193	—	—	—	0.5	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236487	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Zinc	Zn	N	22	10000	14.4	—	—	3.3	µg/L	Y	—	U	N3B-2022-394	CAMO-22-236486	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	2,4-Diamino-6-nitrotoluene	6629-29-4	N	0.5	—	—	—	—	0.5	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	2,4-Diamino-6-nitrotoluene	6629-29-4	N	0.506	—	—	—	—	0.506	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	2,6-Diamino-4-nitrotoluene	59229-75-3	N	0.5	—	—	—	—	0.5	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	2,6-Diamino-4-nitrotoluene	59229-75-3	N	0.506	—	—	—	—	0.506	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	3,5-Dinitroaniline	618-87-1	N	0.3	—	—	—	—	0.3	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	3,5-Dinitroaniline	618-87-1	N	0.304	—	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Acenaphthene	83-32-9	N	0.312	535	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Acenaphthene	83-32-9	N	0.304	535	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Acenaphthylene	208-96-8	N	0.312	—	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Acenaphthylene	208-96-8	N	0.304	—	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acetone	67-64-1	N	1.74	14100	—	—	—	1.74	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Acetone	67-64-1	N	1.74	14100	—	—	—	1.74	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acetonitrile	75-05-8	N	8.33	130	—	—	—	8.33	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Acetonitrile	75-05-8	N	8.33	130	—	—	—	8.33	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.18	—	—	—	—	0.01	SU	Y	H	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.24	—	—	—	—	0.01	SU	Y	H	J	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acrolein	107-02-8	N	1.67	0.0415	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Acrolein	107-02-8	N	1.67	0.0415	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Acrylonitrile	107-13-1	N	1.67	0.523	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Acrylonitrile	107-13-1	N	1.67	0.523	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3	ALK-CO3	N	1.45	—	—	—	—	1.45	mg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:310.1	Alkalinity-CO3	ALK-CO3	N	1.45	—	—	—	—	1.45	mg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	61.3	—	72.9	—	—	1.45	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	59.9	—	72.9	—	—	1.45	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Aluminum	Al	N	68	5000	68	—	—	68	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Aluminum	Al	N	68	5000	68	—	—	68	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00247	—	0.0167	0.00818	0.0621	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0152	—	0.0167	0.00947	0.0546	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Amino-2,6-dinitrotoluene[4-]	19406-51-0	N	0.08	1.9	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Amino-2,6-dinitrotoluene[4-]	19406-51-0	N	0.081	1.9	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Amino-4,6-dinitrotoluene[2-]	35572-78-2	N	0.08	1.9	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Amino-4,6-dinitrotoluene[2-]	35572-78-2	N	0.081	1.9	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0303	—	0.1	—	—	0.017	mg/L	Y	J	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0173	—	0.1	—	—	0.017	mg/L	Y	J	J	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Aniline	62-53-3	N	4.36	130	—	—	—	4.36	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Aniline	62-53-3	N	4.25	130	—	—	—	4.25	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Anthracene	120-12-7	N	0.312	1720	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Anthracene	120-12-7	N	0.304	1720	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Antimony	Sb	N	1	6	1	—	—	1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Antimony	Sb	N	1	6	1	—	—	1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1016	12674-11-2	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11																						

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	PESTPCB	SW-846:8082A	Aroclor-1221	11104-28-2	N	0.033	0.5	—	—	—	0.033	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1232	11141-16-5	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	PESTPCB	SW-846:8082A	Aroclor-1232	11141-16-5	N	0.033	0.5	—	—	—	0.033	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1242	53469-21-9	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	PESTPCB	SW-846:8082A	Aroclor-1242	53469-21-9	N	0.033	0.5	—	—	—	0.033	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1248	12672-29-6	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	PESTPCB	SW-846:8082A	Aroclor-1248	12672-29-6	N	0.033	0.5	—	—	—	0.033	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1254	11097-69-1	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	PESTPCB	SW-846:8082A	Aroclor-1254	11097-69-1	N	0.033	0.5	—	—	—	0.033	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1260	11096-82-5	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	PESTPCB	SW-846:8082A	Aroclor-1260	11096-82-5	N	0.033	0.5	—	—	—	0.033	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	PESTPCB	SW-846:8082A	Aroclor-1262	37324-23-5	N	0.0333	0.5	—	—	—	0.0333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	PESTPCB	SW-846:8082A	Aroclor-1262	37324-23-5	N	0.033	0.5	—	—	—	0.033	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Arsenic	As	N	2	10	2.7	—	—	2	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Arsenic	As	N	2	10	2.7	—	—	2	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Atrazine	1912-24-9	N	3.12	3	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Atrazine	1912-24-9	N	3.04	3	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Azobenzene	103-33-3	N	3.12	1.2	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Azobenzene	103-33-3	N	3.04	1.2	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Barium	Ba	Y	26.2	2000	38.1	—	—	1	µg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Barium	Ba	Y	25.5	2000	38.1	—	—	1	µg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Benzene	71-43-2	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Benzene	71-43-2	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzidine	92-87-5	N	4.05	0.00109	—	—	—	4.05	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Benzidine	92-87-5	N	3.95	0.00109	—	—	—	3.95	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzo(a)anthracene	56-55-3	N	0.312	0.12	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Benzo(a)anthracene	56-55-3	N	0.304	0.12	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Benzo(a)pyrene	50-32-8	N	0.304	0.2	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzo(a)pyrene	50-32-8	N	0.312	0.2	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzo(b)fluoranthene	205-99-2	N	0.312	0.343	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Benzo(b)fluoranthene	205-99-2	N	0.304	0.343	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Benzo(g,h,i)perylene	191-24-2	N	0.304	—	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzo(g,h,i)perylene	191-24-2	N	0.312	—	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzo(k)fluoranthene	207-08-9	N	0.312	3.43	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Benzo(k)fluoranthene	207-08-9	N	0.304	3.43	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzoic Acid	65-85-0	N	11.9	75000	—	—	—	6.23	µg/L	Y	BJ	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Benzoic Acid	65-85-0	N	11.3	75000	—	—	—	6.08	µg/L	Y	BJ	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Benzyl Alcohol	100-51-6	N	3.12	2000	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Benzyl Alcohol	100-51-6	N	3.04	2000	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Beryllium	Be	N	1	4	1	—	—	1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Beryllium	Be	N	1	4	1	—	—	1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Bis(2-chloroethoxy)methane	111-91-1	N	3.12	59	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Bis(2-chloroethoxy)methane	111-91-1	N	3.04	59	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Bis(2-chloroethyl)ether	111-44-4	N	3.12	0.137	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Bis(2-chloroethyl)ether	111-44-4	N	3.04	0.137	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Bis(2-ethylhexyl)phthalate	117-81-7	N	0.312	6	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Bis(2-ethylhexyl)phthalate	117-81-7	N	0.304	6	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Boron	B	N	15	750	18.7	—	—	15	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Boron	B	N	15	750	18.7	—	—	15	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Bromide	Br(-1)	N	0.067	—	0.067	—	—	0.067	mg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:300.0	Bromide	Br(-1)	N	0.067	—	0.067	—	—	0.067	mg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Bromobenzene	108-86-1	N	0.333	62	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Bromobenzene	108-86-1	N	0.333	62	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Bromochloromethane	74-97-5	N	0.333	83	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021																						

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Bromodichloromethane	75-27-4	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Bromoform	75-25-2	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Bromoform	75-25-2	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Bromomethane	74-83-9	N	0.337	7.54	—	—	—	0.337	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Bromomethane	74-83-9	N	0.337	7.54	—	—	—	0.337	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Bromophenyl-phenylether[4-]	101-55-3	N	3.12	—	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Bromophenyl-phenylether[4-]	101-55-3	N	3.04	—	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Butanol[1-]	71-36-3	N	21.1	2000	—	—	—	21.1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butanol[1-]	71-36-3	N	21.1	2000	—	—	—	21.1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Butanone[2-]	78-93-3	N	1.67	5560	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butanone[2-]	78-93-3	N	1.67	5560	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Butylbenzene[n-]	104-51-8	N	0.333	1000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butylbenzene[n-]	104-51-8	N	0.333	1000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Butylbenzene[sec-]	135-98-8	N	0.333	2000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butylbenzene[sec-]	135-98-8	N	0.333	2000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Butylbenzene[tert-]	98-06-6	N	0.333	690	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Butylbenzene[tert-]	98-06-6	N	0.333	690	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Butylbenzylphthalate	85-68-7	N	0.312	160	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Butylbenzylphthalate	85-68-7	N	0.304	160	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Cadmium	Cd	N	0.3	5	0.11	—	—	0.3	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Cadmium	Cd	N	0.3	5	0.11	—	—	0.3	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Calcium	Ca	Y	10.8	—	17.03	—	—	0.05	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Calcium	Ca	Y	10.7	—	17.03	—	—	0.05	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Carbon Disulfide	75-15-0	N	1.67	810	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Carbon Disulfide	75-15-0	N	1.67	810	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Carbon Tetrachloride	56-23-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Carbon Tetrachloride	56-23-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.763	—	2.93	1.39	5.45	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.709	—	2.93	1.02	3.88	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.81	250	2.7	—	—	0.067	mg/L	Y	—	J-	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.8	250	2.7	—	—	0.067	mg/L	Y	—	J-	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Chloro-1,3-butadiene[2-]	126-99-8	N	0.333	0.187	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloro-1,3-butadiene[2-]	126-99-8	N	0.333	0.187	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloro-1-propene[3-]	107-05-1	N	1.67	7.3	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Chloro-1-propene[3-]	107-05-1	N	1.67	7.3	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chloro-3-methylphenol[4-]	59-50-7	N	3.12	1400	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Chloro-3-methylphenol[4-]	59-50-7	N	3.04	1400	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chloroaniline[4-]	106-47-8	N	3.43	3.7	—	—	—	3.43	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Chloroaniline[4-]	106-47-8	N	3.34	3.7	—	—	—	3.34	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Chlorobenzene	108-90-7	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorobenzene	108-90-7	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Chlorodibromomethane	124-48-1	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorodibromomethane	124-48-1	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloroethane	75-00-3	N	0.333	20900	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Chloroethane	75-00-3	N	0.333	20900	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Chloroform	67-66-3	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloroform	67-66-3	N	0.333	80	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chloromethane	74-87-3	N	0.333	20.3	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Chloromethane	74-87-3	N	0.333	20.3	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chloronaphthalene[2-]	91-58-7	N	0.426	733	—	—	—	0.426	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Chloronaphthalene[2-]	91-58-7	N	0.415	733	—	—	—	0.415	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chlorophenol[2-]	95-57-8	N	3.12	91	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Chlorophenol[2-]	95-57-8	N	3.04	91	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chlorophenyl-phenyl[4-] Ether	7005-72-3	N	3.12	—	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD</																		

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorotoluene[2-]	95-49-8	N	0.333	233	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Chlorotoluene[4-]	106-43-4	N	0.333	250	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Chlorotoluene[4-]	106-43-4	N	0.333	250	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.14	50	7.48	—	—	3	µg/L	Y	J	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.3	50	7.48	—	—	3	µg/L	Y	J	J	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Chrysene	218-01-9	N	0.312	34.3	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Chrysene	218-01-9	N	0.304	34.3	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Cobalt	Co	N	1	50	1	—	—	1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Cobalt	Co	N	1	50	1	—	—	1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.113	—	2.65	1.54	6.16	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.13	—	2.65	1.11	4.63	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Copper	Cu	N	3	1000	3	—	—	3	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Copper	Cu	N	3	1000	3	—	—	3	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	Inorganic	EPA:335.4	Cyanide (Total)	CN(TOTAL)	N	0.00167	0.2	0.0017	—	—	0.00167	mg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	Inorganic	EPA:335.4	Cyanide (Total)	CN(TOTAL)	N	0.00167	0.2	0.0017	—	—	0.00167	mg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Di-n-butylphthalate	84-74-2	N	0.312	885	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Di-n-butylphthalate	84-74-2	N	0.304	885	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Di-n-octylphthalate	117-84-0	N	0.312	200	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Di-n-octylphthalate	117-84-0	N	0.304	200	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dibenz(a,h)anthracene	53-70-3	N	0.304	0.0343	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dibenz(a,h)anthracene	53-70-3	N	0.312	0.0343	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dibenzofuran	132-64-9	N	3.12	7.9	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dibenzofuran	132-64-9	N	3.04	7.9	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dibromo-3-Chloropropane[1,2-]	96-12-8	N	0.333	0.2	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dibromo-3-Chloropropane[1,2-]	96-12-8	N	0.333	0.2	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dibromoethane[1,2-]	106-93-4	N	0.333	0.05	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dibromoethane[1,2-]	106-93-4	N	0.333	0.05	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dibromomethane	74-95-3	N	0.333	0.0747	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dibromomethane	74-95-3	N	0.333	0.0747	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichlorobenzene[1,2-]	95-50-1	N	0.333	600	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorobenzene[1,2-]	95-50-1	N	0.333	600	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzene[1,2-]	95-50-1	N	3.12	600	—	—	—	3.12	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dichlorobenzene[1,2-]	95-50-1	N	3.04	600	—	—	—	3.04	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichlorobenzene[1,3-]	541-73-1	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorobenzene[1,3-]	541-73-1	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzene[1,3-]	541-73-1	N	3.12	—	—	—	—	3.12	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dichlorobenzene[1,3-]	541-73-1	N	3.04	—	—	—	—	3.04	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichlorobenzene[1,4-]	106-46-7	N	0.333	75	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorobenzene[1,4-]	106-46-7	N	0.333	75	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzene[1,4-]	106-46-7	N	3.12	75	—	—	—	3.12	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dichlorobenzene[1,4-]	106-46-7	N	3.04	75	—	—	—	3.04	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorobenzidine[3,3'-]	91-94-1	N	3.12	1.25	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dichlorobenzidine[3,3'-]	91-94-1	N	3.04	1.25	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichlorodifluoromethane	75-71-8	N	0.355	197	—	—	—	0.355	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichlorodifluoromethane	75-71-8	N	0.355	197	—	—	—	0.355	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethane[1,1-]	75-34-3	N	0.333	25	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloroethane[1,1-]	75-34-3	N	0.333	25	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloroethane[1,2-]	107-06-2	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethane[1,2-]	107-06-2	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethene[1,1-]	75-35-4	N	0.333	7	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloroethene[1,1-]	75-35-4	N	0.333	7	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloroethene[cis-1,2-]	156-59-2	N	0.333	70	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloroethene[cis-1,2-]	156-59-2	N	0.333	70	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloroethene[cis/trans-1,2-]	540-59-0	N	0.667	—	—	—	—	0.667	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	133																							

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloroethene[trans-1,2-]	156-60-5	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dichlorophenol[2,4-]	120-83-2	N	3.12	45.3	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dichlorophenol[2,4-]	120-83-2	N	3.04	45.3	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloropropane[1,2-]	78-87-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropane[1,2-]	78-87-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloropropane[1,3-]	142-28-9	N	0.333	370	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropane[1,3-]	142-28-9	N	0.333	370	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloropropane[2,2-]	594-20-7	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropane[2,2-]	594-20-7	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloropropene[1,1-]	563-58-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropene[1,1-]	563-58-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloropropene[cis-1,3-]	10061-01-5	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropene[cis-1,3-]	10061-01-5	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dichloropropene[trans-1,3-]	10061-02-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dichloropropene[trans-1,3-]	10061-02-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Diethyl Ether	60-29-7	N	0.333	3930	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Diethyl Ether	60-29-7	N	0.333	3930	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Diethylphthalate	84-66-2	N	0.312	14800	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Diethylphthalate	84-66-2	N	0.304	14800	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dimethyl Phthalate	131-11-3	N	0.312	612	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dimethyl Phthalate	131-11-3	N	0.304	612	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dimethylphenol[2,4-]	105-67-9	N	3.12	354	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dimethylphenol[2,4-]	105-67-9	N	3.04	354	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitro-2-methylphenol[4,6-]	534-52-1	N	3.12	1.52	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dinitro-2-methylphenol[4,6-]	534-52-1	N	3.04	1.52	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Dinitrobenzene[1,3-]	99-65-0	N	0.08	2	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Dinitrobenzene[1,3-]	99-65-0	N	0.081	2	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitrophenol[2,4-]	51-28-5	N	5.2	38.7	—	—	—	5.2	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dinitrophenol[2,4-]	51-28-5	N	5.06	38.7	—	—	—	5.06	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Dinitrotoluene[2,4-]	121-14-2	N	0.08	2.37	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Dinitrotoluene[2,4-]	121-14-2	N	0.081	2.37	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dinitrotoluene[2,4-]	121-14-2	N	3.04	2.37	—	—	—	3.04	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitrotoluene[2,4-]	121-14-2	N	3.12	2.37	—	—	—	3.12	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Dinitrotoluene[2,6-]	606-20-2	N	0.08	0.485	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Dinitrotoluene[2,6-]	606-20-2	N	0.081	0.485	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dinitrotoluene[2,6-]	606-20-2	N	3.04	0.485	—	—	—	3.04	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinitrotoluene[2,6-]	606-20-2	N	3.12	0.485	—	—	—	3.12	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dinoseb	88-85-7	N	3.04	7	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dinoseb	88-85-7	N	3.12	7	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E_SIM	Dioxane[1,4-]	123-91-1	N	0.1	4.59	—	—	—	0.1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Dioxane[1,4-]	123-91-1	N	3.04	4.59	—	—	—	3.04	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Dioxane[1,4-]	123-91-1	N	16.7	4.59	—	—	—	16.7	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Dioxane[1,4-]	123-91-1	N	16.7	4.59	—	—	—	16.7	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Dioxane[1,4-]	123-91-1	N	3.12	4.59	—	—	—	3.12	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E_SIM	Dioxane[1,4-]	123-91-1	N	0.1	4.59	—	—	—	0.1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Diphenylamine	122-39-4	N	3.12	122	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Diphenylamine	122-39-4	N	3.04	122	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Ethyl Methacrylate	97-63-2	N	1.67	455	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Ethyl Methacrylate	97-63-2	N	1.67	455	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Ethylbenzene	100-41-4	N	0.333	700	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Ethylbenzene	100-41-4	N	0.333	700	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Fluoranthene	206-44-0	N	0.312	802	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Fluoranthene	206-44-0	N	0.304	802	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Fluorene	86-73-7														

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.134	1.6	0.377	—	—	0.033	mg/L	Y	—	J+	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.746	15	—	0.699	2.55	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.601	15	—	0.631	2.38	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.946	—	—	0.593	1.95	—	pCi/L	Y	U	UJ	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	Y	3.84	—	—	0.628	1.85	—	pCi/L	Y	—	J	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	HARDNESS	Y	42.7	—	67.1	—	—	0.453	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SM:A2340B	Hardness	HARDNESS	Y	42.3	—	67.1	—	—	0.453	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Hexachlorobenzene	118-74-1	N	3.04	1	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachlorobenzene	118-74-1	N	3.12	1	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Hexachlorobutadiene	87-68-3	N	0.333	1.39	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Hexachlorobutadiene	87-68-3	N	0.333	1.39	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachlorobutadiene	87-68-3	N	3.12	1.39	—	—	—	3.12	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Hexachlorobutadiene	87-68-3	N	3.04	1.39	—	—	—	3.04	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachlorocyclopentadiene	77-47-4	N	3.12	50	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Hexachlorocyclopentadiene	77-47-4	N	3.04	50	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Hexachloroethane	67-72-1	N	3.12	3.28	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Hexachloroethane	67-72-1	N	3.04	3.28	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Hexanone[2-]	591-78-6	N	1.67	38	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Hexanone[2-]	591-78-6	N	1.67	38	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	HMX	2691-41-0	N	0.08	1000	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	HMX	2691-41-0	N	0.081	1000	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Indeno(1,2,3-cd)pyrene	193-39-5	N	0.304	0.343	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Indeno(1,2,3-cd)pyrene	193-39-5	N	0.312	0.343	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Iodomethane	74-88-4	N	1.67	—	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Iodomethane	74-88-4	N	1.67	—	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Iron	Fe	N	30	1000	53.8	—	—	30	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Iron	Fe	N	30	1000	53.8	—	—	30	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Isobutyl alcohol	78-83-1	N	16.7	5910	—	—	—	16.7	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Isobutyl alcohol	78-83-1	N	16.7	5910	—	—	—	16.7	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Isophorone	78-59-1	N	3.64	781	—	—	—	3.64	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Isophorone	78-59-1	N	3.54	781	—	—	—	3.54	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Isopropylbenzene	98-82-8	N	0.333	447	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Isopropylbenzene	98-82-8	N	0.333	447	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Isopropyltoluene[4-]	99-87-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Isopropyltoluene[4-]	99-87-6	N	0.333	—	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Lead	Pb	N	0.5	15	0.5	—	—	0.5	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Lead	Pb	N	0.5	15	0.5	—	—	0.5	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.82	—	4.18	—	—	0.11	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.76	—	4.18	—	—	0.11	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Manganese	Mn	N	2	200	12.1	—	—	2	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Manganese	Mn	N	2	200	12.1	—	—	2	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:7470A	Mercury	Hg	N	0.067	2	0.067	—	—	0.067	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	Inorganic	SW-846:7470A	Mercury	Hg	Y	0.3	2	—	—	—	0.067	µg/L	Y	—	J	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:7470A	Mercury	Hg	N	0.067	2	0.067	—	—	0.067	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	Inorganic	SW-846:7470A	Mercury	Hg	N	0.067	2	—	—	—	0.067	µg/L	Y	U	UJ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Methacrylonitrile	126-98-7	N	1.67	1.91	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methacrylonitrile	126-98-7	N	1.67	1.91	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Methyl Methacrylate	80-62-6	N	1.67	1390	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methyl Methacrylate	80-62-6	N	1.67	1390	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methyl tert-Butyl Ether	1634-04-4	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Methyl tert-Butyl Ether	1634-04-4	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Methyl-2-pentanone[4-]	108-10-1	N	1.67	1240	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methyl-2-pentanone[4-]	108-10-1	N	1.67	1240	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Methylene Chloride	75-09-2	N	1.09	5	—	—	—	0.5	µg/L	Y	J	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Methylene Chloride	75-09-2	N	1.15	5	—	—	—	0.5	µg/L	Y	J	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG																		

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Methylnaphthalene[1-]	90-12-0	N	0.304	11.4	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylnaphthalene[2-]	91-57-6	N	0.312	35.1	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Methylnaphthalene[2-]	91-57-6	N	0.304	35.1	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylphenol[2-]	95-48-7	N	3.12	930	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Methylphenol[2-]	95-48-7	N	3.04	930	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Methylphenol[3-,4-]	65794-96-9	N	3.84	—	—	—	—	3.84	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Methylphenol[3-,4-]	65794-96-9	N	3.75	—	—	—	—	3.75	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.07	1000	2.5	—	—	0.2	µg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.11	1000	2.5	—	—	0.2	µg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Naphthalene	91-20-3	N	0.333	1.65	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Naphthalene	91-20-3	N	0.333	1.65	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Naphthalene	91-20-3	N	0.312	1.65	—	—	—	0.312	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Naphthalene	91-20-3	N	0.304	1.65	—	—	—	0.304	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	4.12	—	4.72	2.94	10.4	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.97	—	4.72	2.15	7.07	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Nickel	Ni	Y	1.41	200	2.9	—	—	0.6	µg/L	Y	J	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Nickel	Ni	Y	1.33	200	2.9	—	—	0.6	µg/L	Y	J	J	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.394	10	0.769	—	—	0.017	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.388	10	0.769	—	—	0.017	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroaniline[2-]	88-74-4	N	3.12	190	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitroaniline[2-]	88-74-4	N	3.04	190	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroaniline[3-]	99-09-2	N	3.12	—	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitroaniline[3-]	99-09-2	N	3.04	—	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroaniline[4-]	100-01-6	N	3.12	38	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitroaniline[4-]	100-01-6	N	3.04	38	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrobenzene	98-95-3	N	0.08	1.4	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Nitrobenzene	98-95-3	N	0.081	1.4	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrobenzene	98-95-3	N	3.12	1.4	—	—	—	3.12	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitrobenzene	98-95-3	N	3.04	1.4	—	—	—	3.04	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrophenol[2-]	88-75-5	N	3.12	—	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitrophenol[2-]	88-75-5	N	3.04	—	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrophenol[4-]	100-02-7	N	3.12	—	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitrophenol[4-]	100-02-7	N	3.04	—	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitroso-di-n-butylamine[N-]	924-16-3	N	3.04	0.0273	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroso-di-n-butylamine[N-]	924-16-3	N	3.12	0.0273	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitroso-di-n-propylamine[N-]	621-64-7	N	3.12	0.11	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitroso-di-n-propylamine[N-]	621-64-7	N	3.04	0.11	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitrosodiethylamine[N-]	55-18-5	N	3.04	0.00167	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrosodiethylamine[N-]	55-18-5	N	3.12	0.00167	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrosodimethylamine[N-]	62-75-9	N	3.12	0.00491	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitrosodimethylamine[N-]	62-75-9	N	3.04	0.00491	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Nitrosopyrrolidine[N-]	930-55-2	N	3.04	0.37	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Nitrosopyrrolidine[N-]	930-55-2	N	3.12	0.37	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[2-]	88-72-2	N	0.082	3.14	—	—	—	0.082	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[2-]	88-72-2	N	0.083	3.14	—	—	—	0.083	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[3-]	99-08-1	N	0.08	1.74	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[3-]	99-08-1	N	0.081	1.74	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[4-]	99-99-0	N	0.15	42.7	—	—	—	0.15	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Nitrotoluene[4-]	99-99-0	N	0.152	42.7	—	—	—	0.152	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Oxybis(1-chloropropane)[2,2'-]	108-60-1	N	3.04	9.81	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Oxybis(1-chloropropane)[2,2'-]	108-60-1	N	3.12	9.81	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Pentachlorobenzene	608-93-5	N	3.04	3.07	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pentachlorobenzene	608-93-5	N	3.12	3.07	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pentachlorophenol	87-86-5	N	3.12	1	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382</		

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	F	INIT	FD	LCMS/MS	SW-846:6850	Perchlorate	CIO4	Y	0.341	13.8	0.414	—	—	0.05	µg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	PETN	78-11-5	N	0.1	190	—	—	—	0.1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	PETN	78-11-5	N	0.101	190	—	—	—	0.101	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Phenanthrene	85-01-8	N	0.312	170	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Phenanthrene	85-01-8	N	0.304	170	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Phenol	108-95-2	N	3.12	5	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Phenol	108-95-2	N	3.04	5	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00548	—	0.00994	0.00409	0.0514	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.0118	—	0.00994	0.0104	0.0552	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00365	—	0.0171	0.00578	0.0429	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00393	—	0.0171	0.00878	0.0461	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Potassium	K	Y	1.8	—	2.39	—	—	0.05	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Potassium	K	Y	1.81	—	2.39	—	—	0.05	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-54.7	—	35.6	26.1	67.6	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	2.39	—	35.6	14.4	47	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Prometon	1610-18-0	N	3.04	250	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Prometon	1610-18-0	N	3.12	250	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Propionitrile	107-12-0	N	1.67	—	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Propionitrile	107-12-0	N	1.67	—	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Propylbenzene[1-]	103-65-1	N	0.333	660	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Propylbenzene[1-]	103-65-1	N	0.333	660	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pyrene	129-00-0	N	0.312	117	—	—	—	0.312	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Pyrene	129-00-0	N	0.304	117	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Pyridine	110-86-1	N	3.12	20	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Pyridine	110-86-1	N	3.04	20	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:903.1	Radium-226	Ra-226	N	0.3	5	—	0.135	0.404	—	pCi/L	Y	U	UJ	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:903.1	Radium-226	Ra-226	Y	0.363	5	—	0.12	0.304	—	pCi/L	Y	—	NQ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	Generic Radium by Calculation	Radium-226 and Radium-228	Ra-226+228	N	0.514	—	—	0.257	—	—	pCi/L	Y	—	UJ	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	Generic Radium by Calculation	Radium-226 and Radium-228	Ra-226+228	Y	0.826	—	—	0.25	—	—	pCi/L	Y	—	NQ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:904	Radium-228	Ra-228	N	0.215	5	—	0.218	0.743	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:904	Radium-228	Ra-228	N	0.463	5	—	0.219	0.668	—	pCi/L	Y	U	UJ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	RDX	121-82-4	N	0.08	9.66	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	RDX	121-82-4	N	0.081	9.66	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Selenium	Se	N	1.5	50	1.5	—	—	1.5	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Selenium	Se	N	1.5	50	1.5	—	—	1.5	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	75.3	—	81.9	—	—	0.053	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	75.3	—	81.9	—	—	0.053	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Silver	Ag	N	0.3	50	0.2	—	—	0.3	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Silver	Ag	N	0.3	50	0.2	—	—	0.3	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Sodium	Na	Y	10.2	—	16	—	—	0.1	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Sodium	Na	Y	10.2	—	16	—	—	0.1	mg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.127	—	1.93	1.19	5.1	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.837	—	1.93	0.811	2.83	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	122	—	—	—	—	1	µS/cm	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	122	—	—	—	—	1	µS/cm	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Strontium	Sr	Y	47.3	11800	157	—	—	1	µg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Strontium	Sr	Y	47.3	11800	157	—	—	1	µg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.222	8	0.355	0.13	0.477	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.224	8	0.355	0.144	0.472	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Styrene	100-42-5	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Styrene	100-42-5	N	0.333	100	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.94	600	4.59	—	—	0.133	mg/L	Y	—	J+	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.94	600	4.59	—	—	0.133	mg/L	Y	—	J+	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Sulfolane	126-33-0	N	3.04	20	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Sulfolane	126-33-0	N	3.12	20	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	UF	RE	REG	LCMS/MS High Explosives	SW-846:8330B	TATB	3058-38-6	N	0.3	—	—	—	—	0.3	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	RE	FD	LCMS/MS High Explosives	SW-846:8330B	TATB	3058-38-6	N	0.304	—	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Tetrachlorobenzene[1,2,4,5]	95-94-3	N	3.04	1.66	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Tetrachlorobenzene[1,2,4,5]	95-94-3	N	3.12	1.66	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Tetrachloroethane[1,1,1,2-]	630-20-6	N	0.333	5.74	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Tetrachloroethane[1,1,1,2-]	630-20-6	N	0.333	5.74	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Tetrachloroethane[1,1,2,2-]	79-34-5	N	0.333	10	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Tetrachloroethane[1,1,2,2-]	79-34-5	N	0.333	10	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Tetrachloroethene	127-18-4	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Tetrachloroethene	127-18-4	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Tetrachlorophenol[2,3,4,6-]	58-90-2	N	3.04	240	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Tetrachlorophenol[2,3,4,6-]	58-90-2	N	3.12	240	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Tetryl	479-45-8	N	0.08	39.4	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Tetryl	479-45-8	N	0.081	39.4	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Thallium	Tl	N	0.6	2	0.45	—	—	0.6	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Thallium	Tl	N	0.6	2	0.45	—	—	0.6	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Tin	Sn	N	1	12000	13	—	—	1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Tin	Sn	N	1	12000	13	—	—	1	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Toluene	108-88-3	N	0.333	1000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Toluene	108-88-3	N	0.333	1000	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	126	1000	161	—	—	3.4	mg/L	Y	—	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	130	1000	161	—	—	3.4	mg/L	Y	—	J	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	General Chemistry	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.0711	—	—	—	—	0.033	mg/L	Y	J	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	General Chemistry	EPA:351.2	Total Kjeldahl Nitrogen	TKN	N	0.078	—	—	—	—	0.033	mg/L	Y	J	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	General Chemistry	SW-846:9060A	Total Organic Carbon	TOC	N	0.33	—	—	—	—	0.33	mg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	General Chemistry	SW-846:9060A	Total Organic Carbon	TOC	N	0.33	—	—	—	—	0.33	mg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0411	—	0.0822	—	—	0.02	mg/L	Y	J	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0201	—	0.0822	—	—	0.02	mg/L	Y	J	J	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloro-1,2,2-trifluoroethane[1,1,2-]	76-13-1	N	2.98	55000	—	—	—	2.98	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Trichloro-1,2,2-trifluoroethane[1,1,2-]	76-13-1	N	2.98	55000	—	—	—	2.98	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Trichlorobenzene[1,2,3-]	87-61-6	N	0.333	7	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichlorobenzene[1,2,3-]	87-61-6	N	0.333	7	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Trichlorobenzene[1,2,4-]	120-82-1	N	0.333	70	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichlorobenzene[1,2,4-]	120-82-1	N	0.333	70	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Trichlorobenzene[1,2,4-]	120-82-1	N	3.12	70	—	—	—	3.12	µg/L	N	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Trichlorobenzene[1,2,4-]	120-82-1	N	3.04	70	—	—	—	3.04	µg/L	N	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Trichloroethane[1,1,1-]	71-55-6	N	0.333	200	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloroethane[1,1,1-]	71-55-6	N	0.333	200	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Trichloroethane[1,1,2-]	79-00-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloroethane[1,1,2-]	79-00-5	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Trichloroethene	79-01-6	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloroethene	79-01-6	N	0.333	5	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichlorofluoromethane	75-69-4	N	0.333	1140	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Trichlorofluoromethane	75-69-4	N	0.333	1140	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Trichlorophenol[2,4,5-]	95-95-4	N	3.12	1170	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Trichlorophenol[2,4,5-]	95-95-4	N	3.04	1170	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	SVOC	SW-846:8270E	Trichlorophenol[2,4,6-]	88-06-2	N	3.12	11.9	—	—	—	3.12	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	SVOC	SW-846:8270E	Trichlorophenol[2,4,6-]	88-06-2	N	3.04	11.9	—	—	—	3.04	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Trichloropropane[1,2,3-]	96-18-4	N	0.333	0.00835	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trichloropropane[1,2,3-]	96-18-4	N	0.333	0.00835	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Trimethylbenzene[1,2,4-]	95-63-6	N	0.333	56	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trimethylbenzene[1,2,4-]	95-63-6	N	0.333	56	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Trimethylbenzene[1,3,5-]	108-67-8	N	0.5	60	—	—	—	0.5	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Trimethylbenzene[1,3,5-]	108-67-8	N	0.5	60	—	—	—	0.5	µg/L	Y	U				

Table C-1 Analytical Results from the Periodic Monitoring Event Reported in this Periodic Monitoring Report

Location ID	Screen Depth (ft)	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Screening Level	Background Level	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	Trinitrotoluene[2,4,6-]	118-96-7	N	0.08	9.8	—	—	—	0.08	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	Trinitrotoluene[2,4,6-]	118-96-7	N	0.081	9.8	—	—	—	0.081	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	RE	REG	LCMS/MS High Explosives	SW-846:8330B	Tris (o-cresyl) phosphate	78-30-8	N	0.3	—	—	—	—	0.3	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	RE	FD	LCMS/MS High Explosives	SW-846:8330B	Tris (o-cresyl) phosphate	78-30-8	N	0.304	—	—	—	—	0.304	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.506	30	1.19	—	—	0.067	µg/L	Y	—	J+	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Uranium	U	Y	0.506	30	1.19	—	—	0.067	µg/L	Y	—	J+	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.357	27.2	0.715	0.0365	0.0664	—	pCi/L	Y	—	NQ	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.381	27.2	0.715	0.0416	0.0911	—	pCi/L	Y	—	NQ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0207	28.8	0.0423	0.00984	0.0506	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0162	28.8	0.0423	0.0128	0.0694	—	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.15	30	0.336	0.0246	0.0631	—	pCi/L	Y	—	NQ	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.144	30	0.336	0.0264	0.0866	—	pCi/L	Y	—	NQ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Vanadium	V	Y	7.79	63.1	11.4	—	—	1	µg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Vanadium	V	Y	7.49	63.1	11.4	—	—	1	µg/L	Y	—	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Vinyl acetate	108-05-4	N	1.67	409	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Vinyl acetate	108-05-4	N	1.67	409	—	—	—	1.67	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Vinyl Chloride	75-01-4	N	0.333	2	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Vinyl Chloride	75-01-4	N	0.333	2	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Xylene[1,2-]	95-47-6	N	0.333	193	—	—	—	0.333	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	VOC	SW-846:8260D	Xylene[1,3-]+Xylene[1,4-]	Xylene[m+p]	N	0.5	193	—	—	—	0.5	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	VOC	SW-846:8260D	Xylene[1,3-]+Xylene[1,4-]	Xylene[m+p]	N	0.5	193	—	—	—	0.5	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Zinc	Zn	Y	9.09	10000	14.4	—	—	3.3	µg/L	Y	J	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Zinc	Zn	Y	7.63	10000	14.4	—	—	3.3	µg/L	Y	J	J	N3B-2022-382	CAMO-22-236496	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.34	–	–	0.01	SU	Y	H	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.26	–	–	0.01	SU	Y	H	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.17	–	–	0.01	SU	Y	H	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.16	–	–	0.01	SU	Y	H	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.24	–	–	0.01	SU	Y	H	J	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.12	–	–	0.01	SU	Y	H	J	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	62	–	–	1.45	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	62	–	–	1.45	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	60.5	–	–	1.45	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	59.7	–	–	1.45	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	61.3	–	–	1.45	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	59.2	–	–	1.45	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Barium	Ba	Y	24.5	–	–	1	µg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Barium	Ba	Y	25.8	–	–	1	µg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Barium	Ba	Y	25	–	–	1	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6010C	Barium	Ba	Y	24.6	–	–	1	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Barium	Ba	Y	22.9	–	–	1	µg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Barium	Ba	Y	23.5	–	–	1	µg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Calcium	Ca	Y	9.84	–	–	0.05	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Calcium	Ca	Y	10.3	–	–	0.05	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Calcium	Ca	Y	10.4	–	–	0.05	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6010C	Calcium	Ca	Y	10.6	–	–	0.05	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Calcium	Ca	Y	9.69	–	–	0.05	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Calcium	Ca	Y	9.91	–	–	0.05	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.67	–	–	0.067	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.64	–	–	0.067	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.8	–	–	0.067	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.73	–	–	0.067	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.68	–	–	0.067	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.65	–	–	0.067	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.127	–	–	0.033	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.398	–	–	0.033	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.219	–	–	0.033	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.213	–	–	0.033	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.142	–	–	0.033	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.257	–	–	0.033	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	39.1	–	–	0.453	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	39.7	–	–	0.453	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	40.2	–	–	0.453	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SM:A2340B	Hardness	Hardness	Y	40.6	–	–	0.453	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	37.5	–	–	0.453	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	39.6	–	–	0.453	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Iron	Fe	N	30	–	–	30	µg/L	Y	U	U	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Iron	Fe	N	30	–	–	30	µg/L	Y	U	U	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Iron	Fe	N	30	–	–	30	µg/L	Y	U	U	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Iron	Fe	N	30	–	–	30	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Iron	Fe	Y	34.5	–	–	30	µg/L	Y	J	J	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.54	–	–	0.11	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.39	–	–	0.11	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.45	–	–	0.11	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.41	–	–	0.11	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.23	–	–	0.11	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.62	–	–	0.11	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6020	Molybdenum	Mo	Y	1.15	–	–	0.2	µg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.26	–	–	0.2	µg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.24	–	–	0.2	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.21	–	–	0.2	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.1	–	–	0.2	µg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.23	–	–	0.2	µg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6020	Nickel	Ni	N	3	–	–	3	µg/L	Y	U	U	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6020B	Nickel	Ni	Y	0.683	–	–	0.6	µg/L	Y	J	J	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6020B	Nickel	Ni	Y	1.02	–	–	0.6	µg/L	Y	J	J	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6020B	Nickel	Ni	Y	0.784	–	–	0.6	µg/L	Y	J	J	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Nickel	Ni	N	0.6	–	–	0.6	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6020B	Nickel	Ni	Y	1.39	–	–	0.6	µg/L	Y	J	J	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.351	–	–	0.017	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.354	–	–	0.017	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.35	–	–	0.017	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.353	–	–	0.017	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.349	–	–	0.017	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.329	–	–	0.017	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	CIO4	Y	0.348	–	–	0.05	µg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	CIO4	Y	0.321	–	–	0.05	µg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	CIO4	Y	0.317	–	–	0.05	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	LCMS/MS	SW-846:6850	Perchlorate	CIO4	Y	0.327	–	–	0.05	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	CIO4	Y	0.293	–	–	0.05	µg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	CIO4	Y	0.265	–	–	0.05	µg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Potassium	K	Y	2.02	–	–	0.05	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Potassium	K	Y	2.03	–	–	0.05	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Potassium	K	Y	2.06	–	–	0.05	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6010C	Potassium	K	Y	2.05	–	–	0.05	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Potassium	K	Y	2.08	–	–	0.05	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Potassium	K	Y	2.17	–	–	0.05	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/12/2014	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8321A_MOD	RDX	121-82-4	N	0.281	–	–	0.0899	µg/L	Y	UH	UJ	2015-297	CAMO-15-90281	GELC
R-14 S1	1200.6	11/12/2019	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	RDX	121-82-4	N	0.0802	–	–	0.0802	µg/L	Y	U	U	N3B-2020-305	CAMO-20-189304	GELC
R-14 S1	1200.6	11/18/2020	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	RDX	121-82-4	N	0.0816	–	–	0.0816	µg/L	Y	U	U	N3B-2021-423	CAMO-21-210588	GELC
R-14 S1	1200.6	11/18/2020	WG	UF	INIT	FD	LCMS/MS High Explosives	SW-846:8330B	RDX	121-82-4	N	0.0812	–	–	0.0812	µg/L	Y	U	U	N3B-2021-423	CAMO-21-210590	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	RDX	121-82-4	N	0.0816	–	–	0.0816	µg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/16/2022	WG	UF	INIT	REG	LCMS/MS High Explosives	SW-846:8330B	RDX	121-82-4	Y	0.192	–	–	0.0766	µg/L	Y	J	J	N3B-2023-457	CAMO-23-261133	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	80	–	–	0.053	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	80.1	–	–	0.053	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	84.3	–	–	0.053	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	85.2	–	–	0.053	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	78.3	–	–	0.053	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	81.4	–	–	0.053	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Sodium	Na	Y	10.3	–	–	0.1	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Sodium	Na	Y	10.8	–	–	0.1	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Sodium	Na	Y	10.6	–	–	0.1	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6010C	Sodium	Na	Y	10.6	–	–	0.1	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Sodium	Na	Y	10.4	–	–	0.1	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Sodium	Na	Y	10.9	–	–	0.1	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	127	–	–	1	µS/cm	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	109	–	–	1	µS/cm	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	128	–	–	1	µS/cm	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	127	–	–	1	µS/cm	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	128	–	–	1	µS/cm	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	127	–	–	1	µS/cm	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Strontium	Sr	Y	44.6	–	–	1	µg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Strontium	Sr	Y	45.8	–	–	1	µg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Strontium	Sr	Y	46.4	–	–	1	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6010C	Strontium	Sr	Y	46.4	–	–	1	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Strontium	Sr	Y	45.1	–	–	1	µg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Strontium	Sr	Y	48	–	–	1	µg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.92	–	–	0.133	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.76	–	–	0.133	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.83	–	–	0.133	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.83	–	–	0.133	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.84	–	–	0.133	mg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.78	–	–	0.133	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	137	–	–	3.4	mg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	149	–	–	3.4	mg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	143	–	–	3.4	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	151	–	–	3.4	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	137	–	–	3.4	mg/L	Y	–	J	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	136	–	–	2.38	mg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	UF	INIT	REG	General Chemistry	SW-846:9060	Total Organic Carbon	TOC	Y	0.398	–	–	0.33	mg/L	Y	J	J	N3B-2019-437	CAMO-19-164051	GELC
R-14 S1	1200.6	11/12/2019	WG	UF	INIT	REG	General Chemistry	SW-846:9060A	Total Organic Carbon	TOC	N	0.33	–	–	0.33	mg/L	Y	U	U	N3B-2020-305	CAMO-20-189304	GELC
R-14 S1	1200.6	11/18/2020	WG	UF	INIT	REG	General Chemistry	SW-846:9060A	Total Organic Carbon	TOC	Y	0.747	–	–	0.33	mg/L	Y	J	J	N3B-2021-423	CAMO-21-210588	GELC
R-14 S1	1200.6	11/18/2020	WG	UF	INIT	FD	General Chemistry	SW-846:9060A	Total Organic Carbon	TOC	Y	0.781	–	–	0.33	mg/L	Y	J	J	N3B-2021-423	CAMO-21-210590	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	General Chemistry	SW-846:9060A	Total Organic Carbon	TOC	N	0.33	–	–	0.33	mg/L	Y	U	U	N3B-2022-409	CAMO-22-236483	GELC
R-14 S1	1200.6	11/16/2022	WG	UF	INIT	REG	General Chemistry	SW-846:9060A	Total Organic Carbon	TOC	Y	0.677	–	–	0.33	mg/L	Y	J	J	N3B-2023-457	CAMO-23-261133	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	General Chemistry	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0411	–	–	0.02	mg/L	Y	J	U	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	General Chemistry	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	N	0.0386	–	–	0.02	mg/L	Y	J	U	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	General Chemistry	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.084	–	–	0.02	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	General Chemistry	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0914	–	–	0.02	mg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	General Chemistry	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.0306	–	–	0.02	mg/L	Y	J	J	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	General Chemistry	EPA:365.4	Total Phosphate as Phosphorus	PO4-P	Y	0.311	–	–	0.02	mg/L	Y	–	J+	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/17/2021	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	1.103	0.898	2.922	–	pCi/L	Y	U	UJ	N3B-2022-412	CAMO-22-236483	ARSL
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6020	Uranium	U	Y	0.644	–	–	0.067	µg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.742	–	–	0.067	µg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.623	–	–	0.067	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6020B	Uranium	U	Y	0.649	–	–	0.067	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.708	–	–	0.067	µg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.659	–	–	0.067	µg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-14 S1	1200.6	11/09/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Vanadium	V	Y	7.27	–	–	1	µg/L	Y	–	NQ	N3B-2019-437	CAMO-19-164050	GELC
R-14 S1	1200.6	11/12/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Vanadium	V	Y	6.8	–	–	1	µg/L	Y	–	NQ	N3B-2020-305	CAMO-20-189303	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Vanadium	V	Y	7.51	–	–	1	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210587	GELC
R-14 S1	1200.6	11/18/2020	WG	F	INIT	FD	Inorganic	SW-846:6010C	Vanadium	V	Y	7.23	–	–	1	µg/L	Y	–	NQ	N3B-2021-423	CAMO-21-210589	GELC
R-14 S1	1200.6	11/17/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Vanadium	V	Y	6.9	–	–	1	µg/L	Y	–	NQ	N3B-2022-409	CAMO-22-236482	GELC
R-14 S1	1200.6	11/16/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Vanadium	V	Y	6.44	–	–	1	µg/L	Y	–	NQ	N3B-2023-457	CAMO-23-261134	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.65	–	–	0.01	SU	Y	H	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.72	–	–	0.01	SU	Y	H	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	6.94	–	–	0.01	SU	Y	H	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	6.93	–	–	0.01	SU	Y	H	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.4	–	–	0.01	SU	Y	H	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.54	–	–	0.01	SU	Y	H	J	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.54	–	–	0.01	SU	Y	H	J	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	7.4	–	–	0.01	SU	Y	H	J	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	58.4	–	–	1.45	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	59	–	–	1.45	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	62	–	–	1.45	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	62.4	–	–	1.45	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	55.3	–	–	1.45	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	59.1	–	–	1.45	mg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.8	–	–	1.45	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	54.6	–	–	1.45	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.017	–	–	0.017	mg/L	Y	U	U	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0299	–	–	0.017	mg/L	Y	J	U	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.0219	–	–	0.017	mg/L	Y	J	U	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.017	–	–	0.017	mg/L	Y	U	UJ	N3B-2020-411	CAMO-20-189307	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-46	1340.0	11/17/2020	WG	F	INIT	REG	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.032	–	–	0.017	mg/L	Y	J	U	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	N	0.017	–	–	0.017	mg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.0869	–	–	0.017	mg/L	Y	–	J	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	General Chemistry	EPA:350.1	Ammonia as Nitrogen	NH3-N	Y	0.038	–	–	0.017	mg/L	Y	J	J	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Barium	Ba	Y	21.6	–	–	1	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6010C	Barium	Ba	Y	22.3	–	–	1	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Barium	Ba	Y	27.7	–	–	1	µg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6010C	Barium	Ba	Y	27.7	–	–	1	µg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Barium	Ba	Y	22.1	–	–	1	µg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Barium	Ba	Y	23.5	–	–	1	µg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Barium	Ba	Y	21.7	–	–	1	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6010D	Barium	Ba	Y	21.4	–	–	1	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Calcium	Ca	Y	9.67	–	–	0.05	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6010C	Calcium	Ca	Y	9.87	–	–	0.05	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Calcium	Ca	Y	10.5	–	–	0.05	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6010C	Calcium	Ca	Y	10.6	–	–	0.05	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Calcium	Ca	Y	10.2	–	–	0.05	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Calcium	Ca	Y	9.99	–	–	0.05	mg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Calcium	Ca	Y	9.26	–	–	0.05	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6010D	Calcium	Ca	Y	9.13	–	–	0.05	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.73	–	–	0.067	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.73	–	–	0.067	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.8	–	–	0.067	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.77	–	–	0.067	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.93	–	–	0.067	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.71	–	–	0.067	mg/L	Y	–	J-	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.7	–	–	0.067	mg/L	Y	–	J+	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.69	–	–	0.067	mg/L	Y	–	J+	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6020	Chromium	Cr	Y	5.23	–	–	3	µg/L	Y	J	J	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6020	Chromium	Cr	Y	5.6	–	–	3	µg/L	Y	J	J	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.33	–	–	3	µg/L	Y	J	J	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.15	–	–	3	µg/L	Y	J	J	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	4.56	–	–	3	µg/L	Y	J	J	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.19	–	–	3	µg/L	Y	J	J	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.29	–	–	3	µg/L	Y	J	J	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.1	–	–	3	µg/L	Y	J	J	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Cobalt	Co	N	1	–	–	1	µg/L	Y	U	U	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6010C	Cobalt	Co	N	1	–	–	1	µg/L	Y	U	U	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Cobalt	Co	N	1	–	–	1	µg/L	Y	U	U	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6010C	Cobalt	Co	N	1	–	–	1	µg/L	Y	U	U	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Cobalt	Co	N	1	–	–	1	µg/L	Y	U	U	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Cobalt	Co	N	1	–	–	1	µg/L	Y	U	U	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Cobalt	Co	Y	1	–	–	1	µg/L	Y	J	J	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6010D	Cobalt	Co	Y	1.03	–	–	1	µg/L	Y	J	J	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.14	–	–	0.033	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.12	–	–	0.033	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	General Chemistry	EPA:300.0	Fluoride	F(-1)	N	0.033	–	–	0.033	mg/L	Y	U	U	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.207	–	–	0.033	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.201	–	–	0.033	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.123	–	–	0.033	mg/L	Y	–	J+	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.23	–	–	0.033	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.231	–	–	0.033	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	38.2	–	–	0.453	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SM:A2340B	Hardness	Hardness	Y	39	–	–	0.453	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	42.4	–	–	0.453	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SM:A2340B	Hardness	Hardness	Y	42.6	–	–	0.453	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	38.9	–	–	0.453	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	38.9	–	–	0.453	mg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	36.5	–	–	0.453	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SM:A2340B	Hardness	Hardness	Y	35.9	–	–	0.453	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.42	–	–	0.11	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.48	–	–	0.11	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.94	–	–	0.11	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.94	–	–	0.11	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.24	–	–	0.11	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.38	–	–	0.11	mg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.24	–	–	0.11	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.19	–	–	0.11	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6020	Molybdenum	Mo	Y	1.01	–	–	0.2	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6020	Molybdenum	Mo	Y	1.05	–	–	0.2	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.09	–	–	0.2	µg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.04	–	–	0.2	µg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	0.878	–	–	0.2	µg/L	Y	J	J	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.01	–	–	0.2	µg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.05	–	–	0.2	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	0.967	–	–	0.2	µg/L	Y	J	J	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.374	–	–	0.017	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.375	–	–	0.017	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.363	–	–	0.017	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.36	–	–	0.017	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.318	–	–	0.017	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.374	–	–	0.085	mg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.352	–	–	0.017	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.35	–	–	0.017	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.288	–	–	0.05	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.352	–	–	0.05	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.315	–	–	0.05	µg/L	Y	–	J	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.335	–	–	0.05	µg/L	Y	–	J	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.299	–	–	0.05	µg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.304	–	–	0.05	µg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.262	–	–	0.05	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.263	–	–	0.05	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Potassium	K	Y	1.85	–	–	0.05	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6010C	Potassium	K	Y	1.84	–	–	0.05	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Potassium	K	Y	2.07	–	–	0.05	mg/L	Y	–	J+	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6010C	Potassium	K	Y	2.04	–	–	0.05	mg/L	Y	–	J+	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Potassium	K	Y	1.82	–	–	0.05	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Potassium	K	Y	1.9	–	–	0.05	mg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Potassium	K	Y	1.97	–	–	0.05	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6010D	Potassium	K	Y	1.96	–	–	0.05	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	70.6	–	–	0.053	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	72.3	–	–	0.053	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	74.4	–	–	0.053	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	70.2	–	–	0.053	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	74.8	–	–	0.053	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	73.8	–	–	0.053	mg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	72.9	–	–	0.053	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	71.7	–	–	0.053	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Sodium	Na	Y	9.19	–	–	0.1	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6010C	Sodium	Na	Y	9.26	–	–	0.1	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Sodium	Na	Y	9.93	–	–	0.1	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6010C	Sodium	Na	Y	9.59	–	–	0.1	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Sodium	Na	Y	9.19	–	–	0.1	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Sodium	Na	Y	9.72	–	–	0.1	mg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Sodium	Na	Y	9.22	–	–	0.1	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6010D	Sodium	Na	Y	9.08	–	–	0.1	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	121	–	–	1	µS/cm	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	123	–	–	1	µS/cm	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	121	–	–	1	µS/cm	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	111	–	–	1	µS/cm	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	126	–	–	1	µS/cm	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	123	–	–	1	µS/cm	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	125	–	–	1	µS/cm	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	124	–	–	1	µS/cm	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Strontium	Sr	Y	41.2	–	–	1	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6010C	Strontium	Sr	Y	41.9	–	–	1	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Strontium	Sr	Y	48	–	–	1	µg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6010C	Strontium	Sr	Y	48.2	–	–	1	µg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Strontium	Sr	Y	43.1	–	–	1	µg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Strontium	Sr	Y	44.1	–	–	1	µg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Strontium	Sr	Y	42.4	–	–	1	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6010D	Strontium	Sr	Y	41.8	–	–	1	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.89	–	–	0.133	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.89	–	–	0.133	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.89	–	–	0.133	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.88	–	–	0.133	mg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.72	–	–	0.133	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.84	–	–	0.133	mg/L	Y	–	J+	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.79	–	–	0.133	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.78	–	–	0.133	mg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	244	–	–	3.4	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	170	–	–	3.4	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	170	–	–	3.4	mg/L	Y	–	J+	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	N	3.4	–	–	3.4	mg/L	Y	U	UJ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	78.6	–	–	3.4	mg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	126	–	–	3.4	mg/L	Y	–	J+	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	119	–	–	2.38	mg/L	Y	–	J	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	107	–	–	2.38	mg/L	Y	–	J	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/16/2021	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.012	0.925	3.133	–	pCi/L	Y	U	UJ	N3B-2022-412	CAMO-22-236487	ARSL
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6020	Uranium	U	Y	0.448	–	–	0.067	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6020	Uranium	U	Y	0.454	–	–	0.067	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	N	0.067	–	–	0.067	µg/L	Y	U	U	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6020B	Uranium	U	Y	0.074	–	–	0.067	µg/L	Y	J	J	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.446	–	–	0.067	µg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.416	–	–	0.067	µg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.391	–	–	0.067	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6020B	Uranium	U	Y	0.389	–	–	0.067	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Vanadium	V	Y	7.87	–	–	1	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164053	GELC
R-46	1340.0	11/13/2018	WG	F	INIT	FD	Inorganic	SW-846:6010C	Vanadium	V	Y	7.92	–	–	1	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164055	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Vanadium	V	Y	7.5	–	–	1	µg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189307	GELC
R-46	1340.0	11/21/2019	WG	F	INIT	FD	Inorganic	SW-846:6010C	Vanadium	V	Y	6.76	–	–	1	µg/L	Y	–	NQ	N3B-2020-411	CAMO-20-189309	GELC
R-46	1340.0	11/17/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Vanadium	V	Y	8.25	–	–	1	µg/L	Y	–	NQ	N3B-2021-417	CAMO-21-210592	GELC
R-46	1340.0	11/16/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Vanadium	V	Y	8.13	–	–	1	µg/L	Y	–	NQ	N3B-2022-394	CAMO-22-236486	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Vanadium	V	Y	7.33	–	–	1	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261137	GELC
R-46	1340.0	11/15/2022	WG	F	INIT	FD	Inorganic	SW-846:6010D	Vanadium	V	Y	7.31	–	–	1	µg/L	Y	–	NQ	N3B-2023-443	CAMO-23-261145	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.31	–	–	0.01	SU	Y	H	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.22	–	–	0.01	SU	Y	H	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.17	–	–	0.01	SU	Y	H	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.18	–	–	0.01	SU	Y	H	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.24	–	–	0.01	SU	Y	H	J	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	General Chemistry	EPA:150.1	Acidity or Alkalinity of a solution	pH	Y	8.39	–	–	0.01	SU	Y	H	J	N3B-2023-502	CAMO-23-261140	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	60	–	–	1.45	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	58.2	–	–	1.45	mg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	55.7	–	–	1.45	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	61.3	–	–	1.45	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	59.9	–	–	1.45	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	General Chemistry	EPA:310.1	Alkalinity-CO3+HCO3	ALK-CO3+HCO3	Y	58	–	–	1.45	mg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0035	0.00762	0.0501	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0108	0.00808	0.0362	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0238	0.0177	0.0435	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00247	0.00818	0.0621	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.0152	0.00947	0.0546	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	HASL-300:AM-241	Americium-241	Am-241	N	0.00192	0.00507	0.0362	–	pCi/L	Y	U	U	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Barium	Ba	Y	24.6	–	–	1	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Barium	Ba	Y	24.5	–	–	1	µg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Barium	Ba	Y	23.3	–	–	1	µg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Barium	Ba	Y	26.2	–	–	1	µg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Barium	Ba	Y	25.5	–	–	1	µg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Barium	Ba	Y	26.6	–	–	1	µg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Boron	B	N	15	–	–	15	µg/L	Y	U	U	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Boron	B	N	15	–	–	15	µg/L	Y	U	U	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Boron	B	N	15	–	–	15	µg/L	Y	U	U	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Boron	B	N	15	–	–	15	µg/L	Y	U	U	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Boron	B	Y	17.6	–	–	15	µg/L	Y	J	J	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Calcium	Ca	Y	10.2	–	–	0.05	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Calcium	Ca	Y	9.86	–	–	0.05	mg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Calcium	Ca	Y	9.95	–	–	0.05	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Calcium	Ca	Y	10.8	–	–	0.05	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Calcium	Ca	Y	10.7	–	–	0.05	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Calcium	Ca	Y	10.3	–	–	0.05	mg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.463	0.607	2.04	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.572	1.43	4.43	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	1.12	1.25	5.07	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.763	1.39	5.45	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:901.1	Cesium-137	Cs-137	N	0.709	1.02	3.88	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	EPA:901.1	Cesium-137	Cs-137	N	-0.376	1.35	4.1	–	pCi/L	Y	U	U	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.84	–	–	0.067	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.89	–	–	0.067	mg/L	Y	–	J+	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	3.82	–	–	0.067	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.81	–	–	0.067	mg/L	Y	–	J-	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.8	–	–	0.067	mg/L	Y	–	J-	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	General Chemistry	EPA:300.0	Chloride	Cl(-1)	Y	1.81	–	–	0.067	mg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6020	Chromium	Cr	Y	4.98	–	–	3	µg/L	Y	J	J	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	4.94	–	–	3	µg/L	Y	J	J	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	4.93	–	–	3	µg/L	Y	J	J	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.14	–	–	3	µg/L	Y	J	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.3	–	–	3	µg/L	Y	J	J	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6020B	Chromium	Cr	Y	5.31	–	–	3	µg/L	Y	J	J	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.233	0.66	2.46	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.833	1.36	5.47	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.214	1.54	6.12	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	-0.113	1.54	6.16	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:901.1	Cobalt-60	Co-60	N	1.13	1.11	4.63	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	EPA:901.1	Cobalt-60	Co-60	N	0.234	0.958	3.85	–	pCi/L	Y	U	U	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.124	–	–	0.033	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.0985	–	–	0.033	mg/L	Y	J	J	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.25	–	–	0.033	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.131	–	–	0.033	mg/L	Y	–	J+	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.134	–	–	0.033	mg/L	Y	–	J+	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	General Chemistry	EPA:300.0	Fluoride	F(-1)	Y	0.246	–	–	0.033	mg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	1.1	0.575	1.75	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	2.55	1.02	3	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.244	0.544	2.01	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:900	Gross alpha	GROSSA	N	0.746	0.699	2.55	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:900	Gross alpha	GROSSA	N	0.601	0.631	2.38	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	EPA:900.0	Gross alpha	GROSSA	N	0.466	0.692	2.68	–	pCi/L	Y	U	U	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	-0.986	0.774	2.88	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	Y	1.96	0.402	1.26	–	pCi/L	Y	–	NQ	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	1.6	0.86	2.8	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:900	Gross beta	GROSSB	N	0.946	0.593	1.95	–	pCi/L	Y	U	UJ	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:900	Gross beta	GROSSB	Y	3.84	0.628	1.85	–	pCi/L	Y	–	J	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	EPA:900.0	Gross beta	GROSSB	N	1.55	0.894	2.91	–	pCi/L	Y	U	UJ	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	41.2	–	–	0.453	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	38.6	–	–	0.453	mg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	38.7	–	–	0.453	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	42.7	–	–	0.453	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SM:A2340B	Hardness	Hardness	Y	42.3	–	–	0.453	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SM:A2340B	Hardness	Hardness	Y	41.6	–	–	0.453	mg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.83	–	–	0.11	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.39	–	–	0.11	mg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Magnesium	Mg	Y	3.36	–	–	0.11	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.82	–	–	0.11	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.76	–	–	0.11	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Magnesium	Mg	Y	3.87	–	–	0.11	mg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6020	Molybdenum	Mo	Y	0.949	–	–	0.2	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	N	1.03	–	–	0.2	µg/L	Y	–	U	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	0.832	–	–	0.2	µg/L	Y	J	J	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.07	–	–	0.2	µg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	1.11	–	–	0.2	µg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6020B	Molybdenum	Mo	Y	0.983	–	–	0.2	µg/L	Y	J	J	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.73	1.16	3.95	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	-0.693	2.3	8.34	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	2.47	2.76	10.2	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	4.12	2.94	10.4	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:901.1	Neptunium-237	Np-237	N	-1.97	2.15	7.07	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	EPA:901.1	Neptunium-237	Np-237	N	3.6	2.26	7.82	–	pCi/L	Y	U	U	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.409	–	–	0.017	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.378	–	–	0.017	mg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.358	–	–	0.017	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.394	–	–	0.017	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.388	–	–	0.017	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	General Chemistry	EPA:353.2	Nitrate-Nitrite as Nitrogen	NO3+NO2-N	Y	0.396	–	–	0.017	mg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.348	–	–	0.05	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.333	–	–	0.05	µg/L	Y	–	J	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.332	–	–	0.05	µg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.317	–	–	0.05	µg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.341	–	–	0.05	µg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	LCMS/MS	SW-846:6850	Perchlorate	ClO4	Y	0.336	–	–	0.05	µg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.00332	0.0104	0.0342	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00212	0.00637	0.0385	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	-0.0265	0.0219	0.0615	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.00548	0.00409	0.0514	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.0118	0.0104	0.0552	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-238	Pu-238	N	0.0193	0.00921	0.0553	–	pCi/L	Y	U	U	N3B-2023-502	CAMO-23-261139	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.0182	0.00967	0.0377	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0	0.006	0.0374	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00265	0.0109	0.0686	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	0.00365	0.00578	0.0429	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00393	0.00878	0.0461	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	HASL-300:ISOPU	Plutonium-239/240	Pu-239/240	N	-0.00552	0.00677	0.0574	–	pCi/L	Y	U	U	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Potassium	K	Y	1.66	–	–	0.05	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Potassium	K	Y	1.88	–	–	0.05	mg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Potassium	K	Y	1.78	–	–	0.05	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Potassium	K	Y	1.8	–	–	0.05	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Potassium	K	Y	1.81	–	–	0.05	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Potassium	K	Y	1.89	–	–	0.05	mg/L	Y	–	J+	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	15.7	12.5	20.1	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	13.5	28.3	46.9	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	33.4	21.9	42.4	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	-54.7	26.1	67.6	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:901.1	Potassium-40	K-40	N	2.39	14.4	47	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	EPA:901.1	Potassium-40	K-40	N	29.8	21.5	31.5	–	pCi/L	Y	U	UJ	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/22/2011	WG	UF	INIT	REG	RAD	EPA:903.1	Radium-226	Ra-226	N	0.0605	0.078	0.29	–	pCi/L	Y	U	U	12-418	CAMO-12-1522	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	EPA:903.1	Radium-226	Ra-226	Y	0.259	0.0863	0.207	–	pCi/L	Y	–	NQ	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	EPA:903.1	Radium-226	Ra-226	Y	0.893	0.175	0.318	–	pCi/L	Y	–	NQ	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:903.1	Radium-226	Ra-226	N	0.3	0.135	0.404	–	pCi/L	Y	U	UJ	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:903.1	Radium-226	Ra-226	Y	0.363	0.12	0.304	–	pCi/L	Y	–	NQ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	EPA:903.1	Radium-226	Ra-226	N	0.38	0.215	0.683	–	pCi/L	Y	U	UJ	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	Generic:Radium by Calculation	Radium-226 and Radium-228	Ra-226+228	Y	1.03	0.283	–	–	pCi/L	Y	–	NQ	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	Generic:Radium by Calculation	Radium-226 and Radium-228	Ra-226+228	Y	1.01	0.238	–	–	pCi/L	Y	–	NQ	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	Generic:Radium by Calculation	Radium-226 and Radium-228	Ra-226+228	N	0.514	0.257	–	–	pCi/L	Y	–	UJ	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	Generic:Radium by Calculation	Radium-226 and Radium-228	Ra-226+228	Y	0.826	0.25	–	–	pCi/L	Y	–	NQ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	Generic:Radium by Calculation	Radium-226 and Radium-228	Ra-226+228	N	0.975	0.347	–	–	pCi/L	Y	U	UJ	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/22/2011	WG	UF	INIT	REG	RAD	EPA:904	Radium-228	Ra-228	Y	0.764	0.19	0.41	–	pCi/L	Y	–	NQ	12-418	CAMO-12-1522	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	EPA:904	Radium-228	Ra-228	N	0.77	0.269	0.821	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	EPA:904	Radium-228	Ra-228	N	0.122	0.162	0.569	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:904	Radium-228	Ra-228	N	0.215	0.218	0.743	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:904	Radium-228	Ra-228	N	0.463	0.219	0.668	–	pCi/L	Y	U	UJ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	EPA:904	Radium-228	Ra-228	N	0.596	0.272	0.828	–	pCi/L	Y	U	UJ	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	73	–	–	0.053	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	69.9	–	–	0.053	mg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Silicon Dioxide	SiO2	Y	74.5	–	–	0.053	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	75.3	–	–	0.053	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	75.3	–	–	0.053	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Silicon Dioxide	SiO2	Y	75.5	–	–	0.053	mg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Sodium	Na	Y	9.62	–	–	0.1	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Sodium	Na	Y	9.42	–	–	0.1	mg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Sodium	Na	Y	9.65	–	–	0.1	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Sodium	Na	Y	10.2	–	–	0.1	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Sodium	Na	Y	10.2	–	–	0.1	mg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Sodium	Na	Y	10.2	–	–	0.1	mg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.342	1.49	2.1	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.633	1.09	4.55	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	1.12	1.33	5.71	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.127	1.19	5.1	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:901.1	Sodium-22	Na-22	N	-0.837	0.811	2.83	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	EPA:901.1	Sodium-22	Na-22	N	0.0599	0.847	3.42	–	pCi/L	Y	U	U	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	125	–	–	1	µS/cm	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	113	–	–	1	µS/cm	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	125	–	–	1	µS/cm	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	122	–	–	1	µS/cm	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	122	–	–	1	µS/cm	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	General Chemistry	EPA:120.1	Specific Conductance	SPEC_CONDC	Y	123	–	–	1	µS/cm	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Strontium	Sr	Y	45.5	–	–	1	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Strontium	Sr	Y	44.3	–	–	1	µg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Strontium	Sr	Y	45	–	–	1	µg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Strontium	Sr	Y	47.3	–	–	1	µg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Strontium	Sr	Y	47.3	–	–	1	µg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Strontium	Sr	Y	47.5	–	–	1	µg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.158	0.079	0.282	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.385	0.15	0.483	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.117	0.129	0.493	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.222	0.13	0.477	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	EPA:905.0	Strontium-90	Sr-90	N	0.224	0.144	0.472	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	EPA:905.0	Strontium-90	Sr-90	N	-0.00809	0.127	0.48	–	pCi/L	Y	U	U	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	2.02	–	–	0.133	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.96	–	–	0.133	mg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	5.77	–	–	0.133	mg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.94	–	–	0.133	mg/L	Y	–	J+	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.94	–	–	0.133	mg/L	Y	–	J+	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	General Chemistry	EPA:300.0	Sulfate	SO4(-2)	Y	1.9	–	–	0.133	mg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	159	–	–	3.4	mg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	180	–	–	3.4	mg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	146	–	–	3.4	mg/L	Y	–	J	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	126	–	–	3.4	mg/L	Y	–	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	130	–	–	3.4	mg/L	Y	–	J	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	General Chemistry	EPA:160.1	Total Dissolved Solids	TDS	Y	167	–	–	2.38	mg/L	Y	–	J	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	0.734	0.872	2.887	–	pCi/L	Y	U	UJ	N3B-2022-412	CAMO-22-236491	ARSL
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	Generic:Low_Level_Tritium	Tritium	H-3	N	-0.033	0.830	2.814	–	pCi/L	Y	U	UJ	N3B-2022-412	CAMO-22-236497	ARSL
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6020	Uranium	U	Y	0.519	–	–	0.067	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.512	–	–	0.067	µg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.506	–	–	0.067	µg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.506	–	–	0.067	µg/L	Y	–	J+	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6020B	Uranium	U	Y	0.506	–	–	0.067	µg/L	Y	–	J+	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6020B	Uranium	U	Y	0.504	–	–	0.067	µg/L	Y	–	NQ	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.461	0.0397	0.11	–	pCi/L	Y	–	NQ	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.423	0.0407	0.077	–	pCi/L	Y	–	NQ	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.414	0.0691	0.204	–	pCi/L	Y	–	NQ	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.357	0.0365	0.0664	–	pCi/L	Y	–	NQ	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.381	0.0416	0.0911	–	pCi/L	Y	–	NQ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-234	U-234	Y	0.308	0.0358	0.0655	–	pCi/L	Y	–	NQ	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.02	0.012	0.107	–	pCi/L	Y	U	U	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0324	0.0135	0.0552	–	pCi/L	Y	U	U	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.013	0.0186	0.176	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0207	0.00984	0.0506	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.0162	0.0128	0.0694	–	pCi/L	Y	U	U	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-235/236	U-235/236	N	0.00343	0.00767	0.0515	–	pCi/L	Y	U	U	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.236	0.0291	0.108	–	pCi/L	Y	–	NQ	N3B-2019-459	CAMO-19-164059	GELC
R-60	1330.0	11/15/2019	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.17	0.026	0.0901	–	pCi/L	Y	–	NQ	N3B-2020-367	CAMO-20-189313	GELC
R-60	1330.0	11/16/2020	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	N	0.145	0.044	0.185	–	pCi/L	Y	U	U	N3B-2021-408	CAMO-21-210597	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.15	0.0246	0.0631	–	pCi/L	Y	–	NQ	N3B-2022-382	CAMO-22-236491	GELC
R-60	1330.0	11/15/2021	WG	UF	INIT	FD	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.144	0.0264	0.0866	–	pCi/L	Y	–	NQ	N3B-2022-382	CAMO-22-236497	GELC
R-60	1330.0	11/21/2022	WG	UF	INIT	REG	RAD	HASL-300:ISOU	Uranium-238	U-238	Y	0.13	0.0223	0.0626	–	pCi/L	Y	–	NQ	N3B-2023-502	CAMO-23-261139	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Vanadium	V	Y	8.41	–	–	1	µg/L	Y	–	NQ	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Vanadium	V	Y	7.6	–	–	1	µg/L	Y	–	NQ	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Vanadium	V	Y	8.08	–	–	1	µg/L	Y	–	NQ	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Vanadium	V	Y	7.79	–	–	1	µg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Vanadium	V	Y	7.49	–	–	1	µg/L	Y	–	NQ	N3B-2022-382	CAMO-22-236496	GELC

Table C-2 Analytical Detections from the Periodic Monitoring Event Reported in this Periodic Monitoring Report Plus Results from the Four Previous Monitoring Events if Available

Location ID	Screen Depth	Sample Date	Sample Type	Field Preparation Code	Analysis Type Code	Sample Purpose	Method Category	Lab Method	Parameter Name	Parameter Code	Detected	Report Result	Lab Uncertainty	Report MDA	Report MDL	Report Unit	Best Value	Lab Qualifier	Validation Qualifier	COC #	Field Sample ID	Lab ID
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Vanadium	V	Y	8.14	–	–	1	µg/L	Y	–	J+	N3B-2023-502	CAMO-23-261140	GELC
R-60	1330.0	11/13/2018	WG	F	INIT	REG	Inorganic	SW-846:6010C	Zinc	Zn	N	3.3	–	–	3.3	µg/L	Y	U	U	N3B-2019-459	CAMO-19-164058	GELC
R-60	1330.0	11/15/2019	WG	F	INIT	REG	Inorganic	SW-846:6010C	Zinc	Zn	N	3.3	–	–	3.3	µg/L	Y	U	U	N3B-2020-367	CAMO-20-189312	GELC
R-60	1330.0	11/16/2020	WG	F	INIT	REG	Inorganic	SW-846:6010C	Zinc	Zn	Y	3.34	–	–	3.3	µg/L	Y	J	J	N3B-2021-408	CAMO-21-210596	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	REG	Inorganic	SW-846:6010D	Zinc	Zn	Y	9.09	–	–	3.3	µg/L	Y	J	J	N3B-2022-382	CAMO-22-236490	GELC
R-60	1330.0	11/15/2021	WG	F	INIT	FD	Inorganic	SW-846:6010D	Zinc	Zn	Y	7.63	–	–	3.3	µg/L	Y	J	J	N3B-2022-382	CAMO-22-236496	GELC
R-60	1330.0	11/21/2022	WG	F	INIT	REG	Inorganic	SW-846:6010D	Zinc	Zn	Y	6.85	–	–	3.3	µg/L	Y	J	J	N3B-2023-502	CAMO-23-261140	GELC

Appendix D

Groundwater Results Greater Than Half of Screening Values

There are no results for this periodic monitoring report.

Appendix E

Analytical Chemistry Graphs of Screening-Value Exceedances

There are no results for this periodic monitoring report.

Appendix F

Analytical Reports
(on CD included with this document)

N3B RECORDS	
Media Information Page	
This is a placeholder page for a record that cannot be uploaded or would lose meaning or content if uploaded. The record can be requested through regdocs@em-la.doe.gov	
Document Date: 5/31/2023	EM ID number: 702765-02
Document Title: Appendix F Submittal of the 2023 Annual Periodic Monitoring Report for the Material Disposal Area C Monitoring Group	☒ No restrictions ☐ UCNI ☐ Copyrighted
Media type and quantity: 1 CD	Software and version required to read media: Adobe Acrobat 9.0
Other document numbers or notes: Files are too numerous and large to upload.	

CD Table of Contents

Chain of Custody	Parameter Category	Lab ID	Field Sample ID	Sample Date	Location ID	Screen Start (Top) Depth	Screen End (Bottom) Depth
N3B-2023-457	Inorganic	GELC ^a	CAMO-23-261133	11/16/2022	R-14 S1 ^b	1200.6	1233.2
N3B-2023-457	Organic	GELC	CAMO-23-261133	11/16/2022	R-14 S1	1200.6	1233.2
N3B-2023-457	Inorganic	GELC	CAMO-23-261134	11/16/2022	R-14 S1	1200.6	1233.2
N3B-2023-443	Inorganic	GELC	CAMO-23-261136	11/15/2022	R-46	1340.0	1360.7
N3B-2023-443	Organic	GELC	CAMO-23-261136	11/15/2022	R-46	1340.0	1360.7
N3B-2023-443	Inorganic	GELC	CAMO-23-261137	11/15/2022	R-46	1340.0	1360.7
N3B-2023-443	Inorganic	GELC	CAMO-23-261144	11/15/2022	R-46	1340.0	1360.7
N3B-2023-443	Organic	GELC	CAMO-23-261144	11/15/2022	R-46	1340.0	1360.7
N3B-2023-443	Inorganic	GELC	CAMO-23-261145	11/15/2022	R-46	1340.0	1360.7
N3B-2023-502	Inorganic	GELC	CAMO-23-261139	11/21/2022	R-60	1330.0	1350.9
N3B-2023-502	Organic	GELC	CAMO-23-261139	11/21/2022	R-60	1330.0	1350.9
N3B-2023-502	Rad ^c	GELC	CAMO-23-261139	11/21/2022	R-60	1330.0	1350.9
N3B-2023-502	Inorganic	GELC	CAMO-23-261140	11/21/2022	R-60	1330.0	1350.9

^a GELC = GEL Laboratories, LLC, Division of the GEL Group, Charleston, SC.

^b S1 = Screen 1.

^c Rad = Radiochemistry.

